

FM 4/TS35**Weidmüller Interface GmbH & Co. KG**Klingenbergstraße 26
D-32758 Detmold
Germany

www.weidmueller.com

Product image

Mounting feet are used to mount components that cannot be snapped directly on a DIN rail.

General ordering data

Version	Mounting foot on mounting rail, silver, Steel, bright finish, M 4, Width: 14 mm
Order No.	0687900000
Type	FM 4/TS35
GTIN (EAN)	4008 190086459
Qty.	40 items

FM 4/TS35

Weidmüller Interface GmbH & Co. KG
 Klingenbergstraße 26
 D-32758 Detmold
 Germany

www.weidmueller.com

Technical data

Approvals

ROHS	Conform
------	---------

Dimensions and weights

Depth	7 mm	Depth (inches)	0.2756 inch
Height	50.2 mm	Height (inches)	1.9764 inch
Width	14 mm	Width (inches)	0.5512 inch
Net weight	4.71 g		

Temperatures

Ambient temperature	-5 °C...40 °C
---------------------	---------------

Environmental Product Compliance

RoHS Compliance Status	Compliant without exemption
REACH SVHC	No SVHC above 0.1 wt%

Material data

Basic material	Steel, bright finish	Surface finish	nickel-plated
Colour	silver		

System specifications

Version	For the mounting rails	Mounting rail	TS 35
---------	------------------------	---------------	-------

Additional technical data

Type of fixing	Snap-on	Explosion-tested version	No
----------------	---------	--------------------------	----

Dimensions

Internal thread	M 4	Pitch in mm (P)	14.00 mm
-----------------	-----	-----------------	----------

General

Surface finish	nickel-plated	Mounting rail	TS 35
----------------	---------------	---------------	-------

Classifications

ETIM 6.0	EC002625	ETIM 7.0	EC002625
ETIM 8.0	EC002625	ETIM 9.0	EC002625
ETIM 10.0	EC002625	ECLASS 9.0	27-18-28-07
ECLASS 9.1	23-15-90-90	ECLASS 10.0	27-18-28-07
ECLASS 11.0	27-18-28-07	ECLASS 12.0	27-18-28-07
ECLASS 13.0	27-18-28-07	ECLASS 14.0	27-18-28-07
ECLASS 15.0	27-18-28-07		

Drawings

