

Two-pole switch 10AX 230V~ with narrow rocker and built-in pilot light matt black Simon 270

REF 20001134-098



BASIC INFORMATION

COMPATIBILITY

Simon 270 Icon and minima design frames

FINISH

Matt black

TYPE OF ROCKER

Slender

MATERIAL

Plastic

PACKAGING CONTENTS

Mechanism, cover and instruction sheet

TECHNICAL INFORMATION

MARKET AVAILABLE

CE

CABLE SECTION ADMITTED (MM)

From 1,5 to 2,5 mm

FREQUENCY (HZ)

50 - 60 Hz

INTENSITY (A)

10 AX

IP RATING

IP20

NUMBER OF POSSIBLE ELEMENTS

Half element

OPERATING TEMPERATURE RANGE (°C)

5 - 45 °C

STORAGE TEMPERATURE RANGE (°C)

-25 - 75 °C

TYPE OF MECHANISM

Pivoting

VOLTAGE (V~)

127/230 V~

INSTALLATION AND MAINTENANCE

CABLE STRIPPING NECESSARY (MM)

7 mm

INSTALLABLE IN FLUSH MOUNT JUNCTION BOX

Universal

INSTALLATION TYPE

Suitable for flush mounting

TYPE OF TERMINAL CONNECTION

Fast

MAINTENANCE

Clean with a soft, dry cloth. Do not use abrasive cloths or cleaning products that contain chlorine.

REGULATION

REGULATIONS

Directive 2014/35/UE LVD + Directive 2011/65/UE RoHS + EN 60669-1:2018 + EN 50581:2012

LOGISTICS INFORMATION

PRODUCT NET WEIGHT

0.001 KGM

PRODUCT GROSS WEIGHT

0.001 KGM

PRODUCT EAN

8421053268667

PACKAGING QUANTITY

10

PACKAGING NET WEIGHT

0.01 GRM

PACKAGING EAN
8421053268674