



SWEDISH TYPE APPROVAL 32467 WITH DECISION ON PRODUCTION CONTROL

Holder: Hansgrohe SE

Auestrasse 5-9, 77761 Schiltach, Germany

Phone: (+49) 15117531435

E-mail: info@hansgrohe.se

Homepage: <http://www.hansgrohe.com>

Thermostatic mixers

Product description

Thermostatic mixers in brass that are available with different surfaces.

Intended use

Thermostatic mixers for hot and cold tap water, intended to be used for showers and bath.

Scope

Product name	Product number	Acoustic group
hansgrohe Raindance Alive	24588xxx, 24589xxx, 24592xxx, 24593xxx, 24594xxx, 24597xxx, 24598xxx	I
hansgrohe Activera S	28078xxx, 28083xxx, 28873xxx, 28874xxx	
hansgrohe Activera S Bath	28871xxx	
hansgrohe Raindance Alive Q ShowerSelect Comfort	24580xxx, 24581xxx, 24590xxx, 24591xxx	
hansgrohe Raindance Alive S ShowerSelect Comfort	24582xxx, 24583xxx, 24595xxx, 24596xxx	
AXOR One Assortment Extension	48794xxx, 48795xxx	

Approval

The products meet the requirements of Chapter 8, Section 4, of the “Planning and Building Act” (PBA) regarding the technical characteristics of construction works, protection regarding hygiene, health and the environment, plan and building regulations, Planning and Building Ordinance (PBO) Chapter 4, Sections 12 and 13 and provided that what is stated in this approval is followed.

The products are approved according to the following section(s) of “Boverket's Building Regulations” (BBR 29)¹⁾:

Construction products with assessed properties	1:4
Tap water installations	6:62
Tap water flow	6:623
Backflow	6:624
Design	6:625

The products are approved in accordance with the following sections of Boverket's regulations regarding protection for hygiene, health and environment, as well as the management of water and waste (BFS 2024:8)²⁾:

General	Chapter 1, Sections 6-7
Water- and waste-water installation	Chapter 8, Sections 1,3-6 and 8

The regulations in Chapter 8, Section 13 shall always be taken into account during installation.

- 1) BBR 29 may be used under the conditions specified in BBR 31.
- 2) BFS 2024:8 enters into force on 1 July 2025.

CERTIFIKAT

Kiwa Certification AB

Campus Gräsvik 1
SE-371 75 Karlskrona
Sweden



Tel +46 (0)455-30 56 00
Fax +46 (0)455-104 36
se.bygg@kiwa.com
www.kiwa.se



Accred. no. 1913
Certification of
Products
ISO/IEC 17065

Marking

Marking must be affixed on the product or, if there are special reasons, on the packaging or the delivery note. Marking shall indicate the following information:

Holder:	Hansgrohe SE
Product name, and relevant article number:	Product name (article number)
Production site:	Applicable manufacturer or ID code
Traceability to the production:	(e.g. yyyy-mm-dd or batchnumber)
Information about requirements or class, if relevant:	-
The registered trademark of Boverket No 241 217:	
Certification Body:	Kiwa Certification AB 
Accreditation number:	1913
Type Approval No:	TG 32467
Inspection Body:	Kiwa Certification AB

Production site:

WSW

Control

The manufacturers’ continuing internal control is combined with surveillance inspections conducted by an accredited Inspection Body.

Inspection Body: **Kiwa Certification AB** Inspection agreement: **509/17 dated 2018-03-02 revision 1**

Factory production control shall be carried out in accordance with the current instructions for control.

During inspection at the construction site, the building proprietor must verify the identity of the product by means of the marking. Furthermore, the building proprietor must ensure that the correct products are delivered and that they are installed in accordance with the manufacturer's instructions in the accompanying documents. It must also be verified that the product is accompanied by a manufacturer's declaration that certifies that production has been carried out in accordance with the documents that formed the basis for this type approval.

The validity of the Swedish Type Approval also implies that the factory production control is carried out according to the current agreement and that the holder annually fulfils the requirement in “Boverket's regulations and general recommendations for type approval”, BFS 2013:6, § 5 (TYP 7), on continuing internal control. The holder shall annually, at the latest on the 15th of December, report to Kiwa Certification AB at the e-mail address se.annualreporting@kiwa.com about continuing surveillance.

Associated documents

Installation instructions: 9.01853.01 vers. 01/2025, 9.01744.01 vers 08/2024, 9.01767.01 vers 08/2024, 9.01773.01 vers 08/2024, 9.06381.04 vers 02/2025, 9.01844.01 vers 02/2025, 9.01924.01 vers. 02/2025, 9.01847.01 vers. 02/2025, 9.01923.01 vers 02/2025, 9.01922.01 vers 02/2025 by Hansgrohe SE

The assessment basis for the approval

Test reports: DE24EF27 001, 60255410-002, DE25MR89 001, 60341364-001 by TÜV Rheinland LGA Products GmbH 180600511-02 by Kiwa Nederland BV, AG-2024-061-01, AG-2024-062-01, AG-2024-197-01, AG-2024-198-01, AG-2024-199-01, AG-2024-200-01, AG-2024-201-01, AG-2024-202-01, AG-2024-203-01, AG-2024-204-01 by Kiwa GmbH

Analysis reports: 26999_Rev 1 MASCO report, 16132761 Rev.03 af DIEHL, 19631032 and 19482932 by Alfred Reinecke

Assessment reports: 32467-2 dated 2025-06-25 by Kiwa Certification AB

Comments

The thermostatic mixers for concealed installation are tested according to EN 1111:2017.

The acoustic requirements are tested according to EN ISO 3822.

“xxx” in the article number covers different surfaces.

The Type approval is valid provided that the product shall neither be CE marked according to the Construction Product Regulation (EU) No 305/2011 (CPR), nor has it been suspended or withdrawn by Kiwa Certification AB.

Date of decision: 2025-06-25

Current version: 32467-2

Valid until: 2030-02-20



Fredrik Sandberg

Business Manager, Building & Energy

This is an translation from the Swedish original document. In the event of any dispute as to its content, the Swedish original shall take precedence.