

Two-pole socket outlet 16A 250V~ with screw terminal connection system matt black Simon 270

REF 20000431-098



BASIC INFORMATION

COMPATIBILITY

Simon 270 Icon design frames

FINISH

Matt black

MATERIAL

Metal

PACKAGING CONTENTS

Mechanism, cover and instruction sheet

TECHNICAL INFORMATION

MARKET AVAILABLE

CE

CABLE SECTION ADMITTED (MM)

From 1,5 to 2,5 mm

FORMAT

Two-pole

INTENSITY (A)

16 A

IP RATING

IP20

NUMBER OF POSSIBLE ELEMENTS

1 element

OPERATING TEMPERATURE RANGE (°C)

5 - 45 °C

STORAGE TEMPERATURE RANGE (°C)

-25 - 50 °C

TYPE OF MECHANISM

Insertion

VOLTAGE (V~)

127/230 V~

INSTALLATION AND MAINTENANCE

CABLE STRIPPING NECESSARY (MM)

14 mm

INSTALLABLE IN FLUSH MOUNT JUNCTION BOX

Universal

INSTALLATION DIRECTION

Horizontal

INSTALLATION TYPE

Suitable for flush mounting

TYPE OF TERMINAL CONNECTION

Screw

MAINTENANCE

Clean with a soft, dry cloth. Do not use abrasive cloths or cleaning products that contain chlorine.

REGULATION

REGULATIONS

Directive 2011/65/UE RoHS + EN 50581:2012 + IEC 60884-1 Ed 3.2 + UNE 20315-1-1:2017 + UNE 20315-1-2:2017

LOGISTICS INFORMATION

PRODUCT NET WEIGHT

0.049 KGM

PRODUCT GROSS WEIGHT

0.049 KGM

PRODUCT EAN

8421053266984

PACKAGING QUANTITY

10

PACKAGING HEIGHT

55.5 MMT

PACKAGING WIDTH

117 MMT

PACKAGING LENGTH

280 MMT

PACKAGING VOLUME

1818180 MMQ

PACKAGING NET WEIGHT

0.49 KGM

PACKAGING EAN

8421053266991