

## Product datasheet

### uvex 2 MACSOLE® 6523 1-4

Safety boot DIN EN ISO 20345:2022 S3L FO HI HRO SC SR

Sizes: 35 - 52 | Width: 10, 11, 12, 14



### AREA OF APPLICATION

Medium applications usually alternate between indoor and outdoor areas, meaning that the demands on the robustness of the outsole of a safety shoe are much higher.

### OUTSOLE

heat-, chemical- and cut-resistant uvex MACSOLE® rubber outsole



- shock-absorbing PU midsole
- antistatic
- contact heat-resistant short-term up to 300°C and heat-insulating (**HRO, HI**)
- excellent slip resistance (**SR**)
- oil- and fuel resistant (**FO**)

<b>FEATURES</b>	
Upper material	<ul style="list-style-type: none"> <li>• hydrophobic leather</li> <li>• water-repellent (<b>WPA</b>)</li> </ul>
Lining material	<ul style="list-style-type: none"> <li>• textile distance mesh lining for comfortable foot climate (<b>clima zone</b>)</li> </ul>
Fastening	<ul style="list-style-type: none"> <li>• laces</li> </ul>
Heel basket	<ul style="list-style-type: none"> <li>• foamed heel basket out of PU for additional stability in the shoe</li> </ul>
Reflecting elements	<ul style="list-style-type: none"> <li>• for increased visibility even in dark working environments</li> </ul>
Comfort	<ul style="list-style-type: none"> <li>• soft padding on collar</li> <li>• sizes 35-40 have been produced using a women's last</li> </ul>
Insock	<ul style="list-style-type: none"> <li>• dust tongue</li> <li>• removable comfortable insock</li> </ul>
Furthermore	<ul style="list-style-type: none"> <li>• metal-free</li> </ul>
<b>PROTECTIVE FEATURES</b>	
Toe cap	<ul style="list-style-type: none"> <li>• metal-free protective toe cap</li> </ul>
Penetration resistance	<ul style="list-style-type: none"> <li>• metal-free, textile penetration resistance</li> </ul>
Scuffcap	<ul style="list-style-type: none"> <li>• out of PU for additional protection of the upper material (<b>SC</b>)</li> </ul>
<b>CERTIFICATES</b>	
uvex medicare	<ul style="list-style-type: none"> <li>• certified for orthopaedic insocks according to the description in <b>DGUV 112-191</b></li> </ul>
ESD	<ul style="list-style-type: none"> <li>• protection against electrostatic charge according to EN 61340-4-3 und EN 61340-5-1</li> </ul>
<b>SUSTAINABILITY</b>	
Recycled/sustainable materials	<ul style="list-style-type: none"> <li>• removable insock made wholly or partly from recycled materials</li> <li>• free from harmful substances in accordance with the uvex restricted substances list</li> </ul>
<b>ACCESORIES/ SPARE PARTS</b>	
Replacement insock	<ul style="list-style-type: none"> <li>• 9534 7-0</li> </ul>
tune-up insock	<ul style="list-style-type: none"> <li>• low 95281</li> <li>• medium 95282</li> <li>• high 95283</li> </ul>
Laces	<ul style="list-style-type: none"> <li>• black 9599921</li> </ul>