

## 8316-160 JC

### Power side cutter

American pattern

Code	ETIM
6744510	EC000165
EAN	UNSPSC
4010886674451	27-11-21-14
Country of origin	eCl@ss
Austria	21-04-03-02
Customs tariff number	
82032000	



### Article description

- Acc. to DIN ISO 5749
- Good lever action for easy cutting
- GEDORE special hardened and tempered steel, drop-forged, oil-hardened and annealed
- Inductively hardened cutting edges (63 - 64 HRC) ensure constant cutting power over a long time span
- Highest cutting performance with less effort due to the optimum interaction of cutting geometry, eccentric rivet bearing and ergonomic handle design
- JC = chrome-plated, with 2-component handle covers
- TL = steel-grey, with blue dipped non-slip handles
- TC = chrome-plated, with blue dipped handles

### Article information

Contents (Qty of pieces)	1	Head height 1 [mm]	19 mm
REACH	compliant	Width of head 1 [mm]	24,5 mm
Weight [kg]	0,225 kg	Handle design	2C
Material	Heat-treated steel	Cutting edge length [mm]	19 mm
Surface	chrome-plated	Joint types	applied joint
Standard	DIN ISO 5749	Blade shape	with facet
Design non-sparking	No	Head thickness [mm] T1	10,0 mm
Opening spring present	no	ESD Yes/No	no
Total length [mm]	160 mm	Hardening process	Induction hardened
Total width [mm]	55 mm	Hardness of cutting edge	63 - 65 HRC
Total height [mm]	21 mm	Bevel	with
Handle colour	blue	Cutting values	Piano wire: 2 mm / 12 AWG Hard wire: 2,5 mm / 10 AWG Medium hard wire: 3,4 mm / 8 AWG