

EC DECLARATION OF CONFORMITY

PPE CATEGORY II

Référence : I30
Révision : 2
Date : 02/13

**LEBON PROTECTION INDUSTRIELLE
PARC D'ACTIVITES BARROIS
250 RUE DES CHARMES
59182 MONTIGNY EN OSTREVENT
FRANCE**

Declares that the new PPE described hereafter :

Référence : **MASTERFOOD**

Seamless knitted glove, 13 gauge, in 100% high density polyethylene filament, stainless steel filaments and 100% synthetic thread, blue colour. Elastic wrist of 10cm.

EN ISO21420:2020

EN388:2016+A1:2018 : 3X4XF

Size : 6 – 7 – 8 – 9 – 10 – 11

is in conformity with the provisions of PPE Regulation 2016/425 and in conformity with the PPE which is the subject of EU certificate of conformity

n°0075/057/162/02/23/0229

Issued by : CTC, notified organization N° 0075

complies with the requirements:

- of Regulation 1935/2004/CE from 27th October 2004,
- of Regulation 10/2011 from 14th January 2011 on plastic materials and articles intended to come into contact with foodstuffs,
- of Regulation 2023/2006/CE from 22th December 2006 modified, on good manufacturing practice for materials and articles intended to come into contact with foodstuffs;
- of Regulation 2020/1245 from 2nd September 2020 on plastic materials and articles intended to come into contact with foodstuffs,
- of Order BEK no 681 of 25/05/2020 on Materials in contact with food,

MASTERFOOD is validated for all types of food.

In all hypothesis :

- Compliance is subject to compliance with the conditions of storage, handling and use taking into account the particular characteristics of the material or object, conditions as provided by the usages or professional codes.
- In the event of a change in the packed product, its composition or its intended purpose, and in the event of a change in the conditions for use of the material or article, the person to whom this

declaration is made must ensure that of the content / content compatibility for which it then assumes responsibility.

This declaration of conformity has been drawn up on the basis of the following elements :

1) Global migration analyzes:

Contact conditions on sample according to standard NF EN 1186 – 3 (January 2003)	Simulator Liquid	Observations of the test pieces	Observations of the simulator liquid	Correction factor	Migration result to about 0.1 mg / dm ² (Aqueous medium test) to 1 mg / dm ² (Test medium fat)
0.5h at 40°C repeated 3 times	Acetic acid 3%	No modification	No modification	-	<3
0.5h at 40°C repeated 3 times	Ethanol 10%	No modification	No modification	-	<3
0.5h at 40°C repeated 3 times	Ethanol 95%	No modification	No modification	-	3
0.5h at 40°C repeated 3 times	Isooctane	No modification	No modification	-	<3

The results are in line with Regulation 1935/2004/CE from 27th October 2004 (migration limits: 10mg/dm²).

This declaration shall be made in accordance with Article 16 from regulation 1935/2004/CE.

Done at Montigny en Ostrevent,
the 15th February 2023

By Cathie DUHAMEL
Responsable Qualité

