


Product Environmental Profile

ACTASSI UUTP LAN CABLE CAT 6A




General information

Reference product	ACTASSI UUTP LAN CABLE CAT 6A - VDICD61X218
Description of the product	The main purpose of the Actassi Copper LAN Cable product is to cover the needs for the transmission of gigabit Ethernet protocols over LAN (local area network) cabling installations within buildings.
Functional unit	To transmit 1 communication signal on 1m, at a frequency of 500 mHz, during 10 years and at 100% use rate in accordance with the standards ISO/IEC 11801, IEC 61156-5, EN 50173-1, EN50288-11-1, and IEC 63000.

Constituent materials

Reference product mass	63.4 g including the product, its packaging and additional elements and accessories
------------------------	---



Plastics	47.2%
Metals	39.5%
Others	13.3%

Substance assessment

Details of ROHS and REACH substances information are available on the Schneider-Electric Green Premium website <https://www.se.com/ww/en/work/support/green-premium/>

Additional environmental information

End Of Life	Recyclability potential:	34%	Recyclability rate has been calculated based on REEECY'LAB tool developed by Ecosystem, for components/materials not covered by the tool, data from the "ECO'DEEE recyclability and recoverability calculation method" was taken. If no data was found a conservative assumption was used (0% recyclability).
-------------	--------------------------	------------	---


Environmental impacts

Reference service life time	10 years			
Product category	Twisted pair cables			
Installation elements	The product does not require a special installation procedure and requires little to no energy to install.			
Use scenario	The product is in passive mode with a 100% load rate and a 100% use rate over a reference lifetime of 10 years.			
Technological representativeness	The Modules of Technologies such as material production, manufacturing process and transport technology used in this PEP analysis (LCA-EIME in this case) are Similar and representative of the actual type of technologies used to make the product in production.			
Geographical representativeness	Europe			
Energy model used	[A1 - A3]	[A5]	[B6]	[C1 - C4]
	Electricity Mix; Production mix; Low voltage; UE-27	Electricity Mix; Production mix; Low voltage; UE-27	Electricity Mix; Production mix; Low voltage; UE-27	Electricity Mix; Production mix; Low voltage; UE-27

Detailed results, including all the impact indicators mentioned in PCRd4, are available in the LCA report, and on demand in a digital format - Country Customer Care Center - <http://www.schneider-electric.com/contact>

Mandatory Indicators			ACTASSI UUTP LAN CABLE CAT 6A - VDID61X218					
Impact indicators	Unit	Total	Manufacturing	Distribution	Installation	Use	End of Life	Benefits
			[A1 - A3]	[A4]	[A5]	[B1 - B7]	[C1 - C4]	[D]
Contribution to climate change	kg CO2 eq	7.80E+00	7.58E+00	2.51E-02	1.49E-02	4.90E-02	1.35E-01	-5.62E-02
Contribution to climate change-fossil	kg CO2 eq	7.80E+00	7.58E+00	2.51E-02	1.80E-02	4.89E-02	1.31E-01	-5.24E-02
Contribution to climate change-biogenic	kg CO2 eq	1.85E-04	0*	0*	0*	6.54E-05	3.77E-03	-3.76E-03
Contribution to climate change-land use and land use change	kg CO2 eq	6.29E-08	0*	0*	0*	0*	6.29E-08	0.00E+00
Contribution to ozone depletion	kg CFC-11 eq	7.28E-07	7.03E-07	2.22E-08	3.24E-10	2.10E-10	2.42E-09	-1.36E-08
Contribution to acidification	mol H+ eq	5.96E-02	5.86E-02	1.09E-04	4.11E-05	2.80E-04	5.29E-04	-3.13E-03
Contribution to eutrophication, freshwater	kg (PO4) ³⁻ eq	1.48E-04	1.41E-05	0*	6.97E-08	1.34E-07	1.34E-04	-1.24E-07
Contribution to eutrophication marine	kg N eq	5.67E-03	5.50E-03	5.02E-05	1.02E-05	3.18E-05	8.33E-05	-5.74E-05
Contribution to eutrophication, terrestrial	mol N eq	8.71E-02	8.49E-02	5.44E-04	9.25E-05	4.77E-04	1.06E-03	-6.50E-04
Contribution to photochemical ozone formation - human health	kg COVNM eq	1.95E-02	1.89E-02	1.78E-04	3.00E-05	1.02E-04	2.44E-04	-3.79E-04
Contribution to resource use, minerals and metals	kg Sb eq	3.38E-05	3.00E-05	0*	0*	3.55E-09	3.77E-06	-2.66E-05
Contribution to resource use, fossils	MJ	7.93E+00	5.45E+00	3.05E-01	4.51E-01	1.25E+00	4.80E-01	-8.96E-01
Contribution to water use	m3 eq	4.14E-01	3.00E-01	1.27E-03	4.13E-03	1.73E-03	1.07E-01	-1.51E-01

Inventory flows Indicators			ACTASSI UUTP LAN CABLE CAT 6A - VDID61X218					
Inventory flows	Unit	Total	Manufact.	Distribution	Installation	Use	End of Life	Benefits
			[A1 - A3]	[A4]	[A5]	[B1 - B7]	[C1 - C4]	[D]
Contribution to use of renewable primary energy excluding renewable primary energy used as raw material	MJ	4.87E-01	1.28E-01	0*	2.86E-02	2.40E-01	9.09E-02	-4.96E-02
Contribution to use of renewable primary energy resources used as raw material	MJ	1.44E-01	1.44E-01	0*	0*	0*	0*	-7.96E-02
Contribution to total use of renewable primary energy resources	MJ	6.32E-01	2.72E-01	0*	2.86E-02	2.40E-01	9.09E-02	-1.29E-01

Contribution to use of non renewable primary energy excluding non renewable primary energy used as raw material	MJ	7.58E+00	5.10E+00	3.05E-01	4.51E-01	1.25E+00	4.80E-01	-8.96E-01
Contribution to use of non renewable primary energy resources used as raw material	MJ	3.51E-01	3.51E-01	0*	0*	0*	0*	0.00E+00
Contribution to total use of non-renewable primary energy resources	MJ	7.93E+00	5.45E+00	3.05E-01	4.51E-01	1.25E+00	4.80E-01	-8.96E-01
Contribution to use of secondary material	kg	0.00E+00	0*	0*	0*	0*	0*	0.00E+00
Contribution to use of renewable secondary fuels	MJ	0.00E+00	0*	0*	0*	0*	0*	0.00E+00
Contribution to use of non renewable secondary fuels	MJ	0.00E+00	0*	0*	0*	0*	0*	0.00E+00
Contribution to net use of freshwater	m³	9.64E-03	6.99E-03	2.97E-05	9.62E-05	4.04E-05	2.48E-03	-3.52E-03
Contribution to hazardous waste disposed	kg	2.78E+00	2.72E+00	0*	0*	9.16E-04	5.98E-02	-2.41E+00
Contribution to non hazardous waste disposed	kg	2.70E-01	2.10E-01	0*	2.02E-02	7.05E-03	3.32E-02	-7.68E-02
Contribution to radioactive waste disposed	kg	1.24E-04	1.14E-04	5.00E-06	2.23E-06	1.48E-06	1.43E-06	-9.42E-06
Contribution to components for reuse	kg	0.00E+00	0*	0*	0*	0*	0*	0.00E+00
Contribution to materials for recycling	kg	2.44E-02	0*	0*	6.21E-03	0*	1.82E-02	0.00E+00
Contribution to materials for energy recovery	kg	0.00E+00	0*	0*	0*	0*	0*	0.00E+00
Contribution to exported energy	MJ	4.11E-03	3.86E-04	0*	3.72E-03	0*	0*	0.00E+00
Contribution to biogenic carbon content of the product	kg de C	0.00E+00	0*	0*	0*	0*	0*	0.00E+00
Contribution to biogenic carbon content of the associated packaging	kg de C	0.00E+00	0*	0*	0*	0*	0*	0.00E+00

* represents less than 0.01% of the total life cycle of the reference flow

Life cycle assessment performed with EIME version 5.9.4, database version 2022-01 in compliance with ISO14044.

Detailed results, including all the optional indicators mentioned in PCRed4, are available in the LCA report and on demand in a digital format - Country Customer Care Center - <http://www.schneider-electric.com/contact>

Please note that the values given above are only valid within the context specified and cannot be used directly to draw up the environmental assessment of an installation.

Registration number :	SCHN-01057-V01.01-EN	Drafting rules	PEP-PCR-ed4-2021 09 06
Verifier accreditation N°	VH39	Supplemented by Information and reference documents	PSR-0001-ed4-EN-2022 11 16
Date of issue	11/2023	Validity period	www.pep-ecopassport.org 5 years
Independent verification of the declaration and data, in compliance with ISO 14025 : 2010			
Internal External X			
The PCR review was conducted by a panel of experts chaired by Julie ORGELET (DDemain)			
PEP are compliant with XP C08-100-1 :2016 or EN 50693:2019			
The elements of the present PEP cannot be compared with elements from another program.			
Document in compliance with ISO 14025 : 2010 « Environmental labels and declarations. Type III environmental declarations »			



Schneider Electric Industries SAS
 Country Customer Care Center
<http://www.schneider-electric.com/contact>
 35, rue Joseph Monier
 CS 30323
 F- 92500 Rueil Malmaison Cedex
 RCS Nanterre 954 503 439
 Capital social 928 298 512 €