

CONUS-Cable Gland


with metric connection thread to DIN EN 60423, glass-fibre reinforced, with flame protection

1250M2011

EAN Code: 4011126365108

Smallest packaging unit:50 pcs.

the photorealistic images are to be considered as reference images



Article Description

CONUS-cable gland, M20, for cable-Ø 7-9 mm, plastics PA, RAL 7035, light grey

Additional Price Information

Article group	K104
quantity unit	pcs.

Weight

Weight per quantity unit	10 g / pcs.
Weight in kg per 100	0,97 kg / 100pcs.

Technical Datasheet

Cable glands

1250M2011

the photorealistic images are to be considered as reference images

Physical Article Dimensions

Height	25.00 mm
Width	25.00 mm
Depth/length	36.00 mm

Packing Dimension

1 piece = 1 piece		✓ VP1-smallest packaging unit (PU)			
Lenght	36.00 mm	Width	25.00 mm	Height	25.00 mm
Gross weight	0,01 kg	Volume	0,000 m ³		
Min. quantity	1.00 pcs.	Max. Quantity	1.00 pcs.		

50 pieces = 1		✓ VP2-preferred PU			
Height	71.00 mm	Width	128.00 mm	Lenght	138.00 mm
Gross weight	0,54 kg	Volume	0,001 m ³		
Min. Quantity	50.00 pcs.	Max. Quantity	50.00 pcs.		

500 covering boxes = 1 piece					
Lenght	375 mm	Width	282 mm	Height	133.00 mm
Gross weight	5,63 kg	Volume	0,014 m ³		
Min. Quantity	500.00 pcs.	Max. Quantity	500.00 pcs.		

Tender Text

CONUS cable gland similar to former DIN 46320, with metric connection thread according to DIN EN 60423, glass fibre reinforced, with flame protection, halogen-free.

Nominal size : M 20

for cable-Ø : 7 - 9 mm

Connection thread length : 11 mm

Width across flats 1 : 19 mm

Width across flats 2 : 22 mm

Glow wire test acc. to DIN EN 60695-2-10+11/VDE 0471-2-10+11: 650°C

Protection class : IP54

with connection thread sealing ring 987M...(please order separately!) : IP65

Application temperature range : -40° up to 100°C

Material screw joint body : polyamide

Material sealing ring : SBR/NBR

Material thrust ring : galvanised blue passivated steel

Colour : light grey

RAL : 7035 (similar)

Kleinhuis Model-No. : 1250M2011

EP Material _____ EP Wage _____

Unit price/piece

Safety & Environment

REACH Date	23.01.2024
REACH Info	Conformable
RoHS Info	Conformable

Technical Datasheet

Cable glands

1250M2011

the photorealistic images are to be considered as reference images

Origin & International Trade

Country of origin	DE
Customs tariff number	39269097