


Sealing Ring, cuttable

formerly DIN 46320, with red marking stripe

1603/13

EAN Code: 4011126017090
 Smallest packaging unit: 100 pcs.

the photorealistic images are to be considered as reference images



Article Description

Sealing ring, cuttable, for size Pg 13,5, height 6 mm, elastomer SBR/NBR, colour black

Additional Price Information

Article group	K103
quantity unit	pcs.

Weight

Weight per quantity unit	2 g / pcs.
Weight in kg per 100	0,16 kg/ 100pcs.

Technical Datasheet

Sealing rings, accessories

1603/13

the photorealistic images are to be considered as reference images

Physical Article Dimensions

Height	6.00 mm
Width	18.30 mm
Depth/length	18.30 mm
Diameter	18.30 mm

Packing Dimension

1 piece = 1 piece		✓ VP1-smallest packaging unit (PU)			
Lenght	19.00 mm	Width	19.00 mm	Height	6.00 mm
Gross weight	0 kg	Volume	0,000 m ³		
Min. quantity	1.00 pcs.	Max. Quantity	1.00 pcs.		
100 pieces = 1		✓ VP2-preferred PU			
Lenght	106.00 mm	Width	71.00 mm	Height	41.00 mm
Gross weight	0,18 kg	Volume	0,000 m ³		
Min. Quantity	100.00 pcs.	Max. Quantity	100.00 pcs.		
1000 pieces = 1 covering box					
Lenght	224 mm	Width	148.00 mm	Height	110.00 mm
Gross weight	1,89 kg	Volume	0,004 m ³		
Min. Quantity	1.000.00 pcs.	Max. Quantity	1.000.00 pcs.		

Tender Text

Sealing ring can be cut out according to former DIN 46320, with red marking strip, can be used for CONUS cable glands (except series 1531/...) as well as brass cable glands with Pg and metric female thread on the intermediate connection, halogen-free. Pre-assembly in the cable glands listed below is possible on a quantity basis, VPE and additional price on request. When ordering, please add the suffix "A/S" to the article numbers of the required cable glands, e.g. .../09A/S.

Nominal size : Pg 13.5

Outer-Ø D1 : 18.3 mm

Inner-Ø D2/D3/D4 : 7.5 / 10 / 12.5 mm

Height H : 6 mm

Application temperature range : -40° to 100°C

Material : SBR/NBR

Colour : black with red marking stripe

for CONUS cable glands : 1250/.. ..., 1250M..., 1251/..., 1252/..., 1230/..., 1230M..., 1235/..., 250/..., 251/..., 252/..., 895/... and brass 927/...

for brass cable glands : 490/..., 490M..., 850/..., 850M..., 530/..., 530M..., 930/..., 930M..., 850ML..., 923/..., 923M..., 924/..., 924M..., 920/..., 920M...

Kleinhuis Model No. : 1603/13

EP Material _____ EP Wage _____

Unit Price/Piece

Technical Datasheet

Sealing rings, accessories

1603/13

the photorealistic images are to be considered as reference images

Safety & Environment

REACH Date	27.06.2024
REACH Info	Conformable
RoHS Info	Conformable

Origin & International Trade

Country of origin	
Customs tariff number	40169300