

Metric®-Cable Gland


tested acc. to DIN EN 62444, with metric connecting thread acc. to DIN EN 60423

350M16

EAN Code: 4011126369724

Smallest packaging unit: 50 pcs.

the photorealistic images are to be considered as reference images



Article Description

Metric®-cable gland, M16, for cable-Ø 5-9 mm, Kunststoff PS, RAL 7035, lichtgrau

Additional Price Information

Article group	K104
quantity unit	pcs.

Weight

Weight per quantity unit	7 g / pcs.
Weight in kg per 100	0,63 kg/ 100pcs.

Technical Datasheet

Cable glands

350M16

the photorealistic images are to be considered as reference images

Physical Article Dimensions

Height	23.00 mm
Width	23.00 mm
Depth/length	32.00 mm
Diameter	23.00 mm

Packing Dimension

1 piece = 1 piece		✓ VP1-smallest packaging unit (PU)			
Lenght	32.00 mm	Width	23.00 mm	Height	23.00 mm
Gross weight	0,01 kg	Volume	0,000 m ³		
Min. quantity	1.00 pcs.	Max. Quantity	1.00 pcs.		
50 pieces = 1		✓ VP2-preferred PU			
Height	71.00 mm	Width	96.00 mm	Lenght	138.00 mm
Gross weight	0,36 kg	Volume	0,001 m ³		
Min. Quantity	50.00 pcs.	Max. Quantity	50.00 pcs.		
500 covering boxes = 1 piece					
Lenght	370 mm	Width	282 mm	Height	100.00 mm
Gross weight	3,81 kg	Volume	0,010 m ³		
Min. Quantity	500.00 pcs.	Max. Quantity	500.00 pcs.		

Tender Text

metric cable gland tested to DIN EN 62444, with metric connection thread to DIN EN 60423, halogen-free, connection thread sealing ring 987M...please order separately. Tightening of the cable gland is only recommended by hand!
VDE certified!

Nominal size : M 16

for cable-Ø : 5 - 9 mm

Connection thread length : 8 mm

Width across flats : 21 mm

Glow wire test acc. to DIN EN 60695-2-10+11/VDE 0471-2-10+11: 650°C

Protection class : IP54

Application temperature range : -30° to 60°C

Gland body material : Polystyrene

Sealing ring material : SBR/NBR

Compression ring material : POM (polyoxymethylene)

Colour : Light grey

RAL: 7035 (similar)

Kleinhuis Model-No. : 350M16

EP Material _____ EP Wage _____

Unit price/piece

Safety & Environment

REACH Date	27.06.2024
REACH Info	Conformable
RoHS Info	Conformable

Technical Datasheet

Cable glands

350M16

the photorealistic images are to be considered as reference images

Origin & International Trade

Country of origin	DE
Customs tariff number	39269097