



Robust, connectable luminaire with outstanding performance.

Pacific LED Gen5

Pacific LED gen5 is an innovative and best-in-class LED waterproof luminaire that is praised for its optimal performance. It meets the demanding requirements of contemporary and harsh industries. It is a very robust, compact and reliable luminaire with excellent quality of light. With a high degree of mechanical (IK08), water and dust protection (IP66), combined with proven chemical resistance, the Pacific LED gen5 can perfectly withstand the harsh conditions of the automotive, food and heavy industries. But it also performs well in parking garages and warehouses. Pacific LED gen5 luminaires provide superior, artefact-free light quality and homogeneous light, offered with multiple optics and broad range of light outputs (up to 15,000 lm). This ensures more flexibility in optimized light scheme planning. They are also designed with a circular approach, which means these fully-serviceable luminaires can be upgraded to extend their overall lifecycle. The luminaires stand out because of their quick and easy installation that facilitates through wiring and various connection and mounting options. But also, because of their attractive TCO, energy efficiency, and ease of maintenance – with minimum of disruption to operations in demanding applications. To make the Pacific LED gen5 even more complete, system integration with Interact Industry opens up additional opportunities for optimized efficiency, energy savings, improved light management, productivity, and safety. Making it future proof in every aspect. Discover Pacific LED gen5. Optimal performance for demanding environments.

Pacific LED Gen5

Benefits

- Long service life offering peace of mind on your lighting installation.
- Suitable for your industrial application due to wide coverage including food production, heavy and chemical industries, automotive, parking garages and warehousing.
- Lowers your maintenance investments due to easy servicing and parts replacements with a modular approach.
- Can be integrated into an Interact connected lighting installation to optimize your operations and maximize energy saving and insights.

Features

- Highly energy efficient and long lifetime: up to 160 lm/W and lifetime up to 100,000 hrs L80.
- Wide application coverage with extensive lumen output (up to 15000 lumen) and optics choice, combined with high quality chemical-resistant materials.
- Robust and compact product architecture, with high water and dust protection (IP66), combined with a high degree of mechanical protection (IK08).
- High uniformity, glare control and artefact-free light distributions.
- Hassle-free installation and maintenance.

Application

- Food Processing
- Parking Garages
- Manufacturing
- Warehouses/distribution centers

Warnings and Safety

- UV radiation will damage the material over time resulting in loss of waterproof sealing and IP66 rating.
- Do not install the luminaire in locations where it will be exposed to direct sunlight.

Versions










Pacific LED gen5, L700



Pacific LED gen5, Wieland connector



Pacific LED Gen5

Dimensional drawing



Pacific LED Gen5

Dimensional drawing



Product details

Pacific LED gen5, looping connection, 2 entry on one side



Pacific LED gen5 with push in 7-pole (PI7) connector



Pacific LED gen5, WIELAND connector




Pacific LED gen5 with WAGO connector



Pacific LED Gen5

Product details



Pacific LED gen5 connection through WAGO connector side view



Pacific LED gen5 with push in 5-pole (PI5) connecto



Pacific LED gen5 with Wieland connector



Pacific LED gen5 connection through WAGO connector

General Information	
Driver included	Yes
Light source replaceable	Yes
Number of gear units	1 unit
Light Technical	
Color rendering index (CRI)	>80
Operating and Electrical	
Input Voltage	220 to 240 V
Line Frequency	50 to 60 Hz
Mechanical and Housing	
Housing Color	White
Approval and Application	
CE mark	Yes
ENEC mark	ENEC plus mark
Flammability mark	For mounting on easily flammable surfaces
Glow-wire test	Temperature 850 °C, duration 30 s
Mech. impact protection code	IK08
Ingress protection code	IP66
Initial Performance (IEC Compliant)	
Luminous flux tolerance	+/-7%
Application Conditions	
Suitable for random switching	No

General Information

Order Code	Full Product Name	Explosion hazard class	Product family code	Service tag
910925867731	WT490C 80S/840 PSU NB-HRO PI5 L1800	-	WT490C	Yes
910925867732	WT490C 80S/840 PSD NB-HRO PI5 L1800	-	WT490C	Yes
910925867733	WT490C 80S/840 PSU WB TW3 PI5 L1800	-	WT490C	Yes
910925867734	WT490C 80S/840 PSU WB ELP3 PI5 L1800	-	WT490C	Yes
910925867735	WT490C 80S/840 PSD WB PI5 L1800	-	WT490C	Yes
910925867736	WT490C 80S/840 PSD WB TW3 PI7 L1800	-	WT490C	Yes
910925867737	WT490C 80S/840 PSD WB ELD3 PI7 L1800	-	WT490C	Yes
910925867738	WT490C 80S/840 PSU VWB PI5 L1800	-	WT490C	Yes
910925867739	WT490C 80S/840 PSD VWB PI5 L1800	-	WT490C	Yes
910925867740	WT490C 100S/840 PSD WB PI5 L1800	-	WT490C	Yes
910925867741	WT490C 120S/840 PSD WB PI5 L1800	-	WT490C	Yes
910925868292	WT490C 80S/840 PSU WB PI5 L1800	-	WT490C	Yes
910925868293	WT490C 100S/840 PSU WB PI5 L1800	-	WT490C	Yes
910925868294	WT490C 120S/840 PSU WB PI5 L1800	-	WT490C	Yes
910925868516	WT490C 80S/840 SIA WB IA9 PI5 L1800	-	WT490C	Yes
910925868697	WT490C 80S/840 PSU O L1800	-	WT490C	-
910925868698	WT490C 80S/840 PSU PCO L1800	-	WT490C	-
910925868701	WT495C 80S/840 PSU WB PI5 L1800	-	WT495C	-
910925868703	WT495C 80S/840 PSD WB PI5 L1800	-	WT495C	-
910925868709	WT490C 80S/840 PSU CLII WB WA7 L1800	-	WT490C	-
910925869405	WT490C 80S/840 PSU WB TW3x2.5 PI5 L1800	-	WT490C	-
910925869406	WT490C 80S/840 PSD WB TW3x2.5 PI7 L1800	-	WT490C	-
910925869607	WT490C 150S/840 PSD WB PI5 L1800	-	WT490C	-
910925869611	WT490C 150S/840 PSU WB PI5 L1800	-	WT490C	-
910925868704	WT492C 64S/840 PSU WB W5 L1200	Zone 2 and 22	WT492C	-
910925868705	WT492C 80S/840 PSU WB W5 L1800	Zone 2 and 22	WT492C	-
910925868706	WT492C 64S/840 PSD WB W5 L1200	Zone 2 and 22	WT492C	-
910925868707	WT492C 80S/840 PSD WB W5 L1800	Zone 2 and 22	WT492C	-
910770229590	WT490C 42S/830 PSU WB PI5 L1200	-	WT490C	-

Order Code	Full Product Name	Explosion	Product family	Service tag
		hazard class	code	
910925867704	WT490C 42S/840 PSD WB PI5 L1200	-	WT490C	Yes
910925867705	WT490C 64S/840 PSU NB-HRO PI5 L1200	-	WT490C	Yes
910925867706	WT490C 64S/840 PSD NB-HRO PI5 L1200	-	WT490C	Yes
910925867707	WT490C 64S/840 PSU WB TW1 PI5 L1200	-	WT490C	Yes
910925867708	WT490C 64S/840 PSU WB TW3 PI5 L1200	-	WT490C	Yes
910925867709	WT490C 64S/840 PSU WB TCW5 PI5 L1200	-	WT490C	Yes
910925867710	WT490C 64S/840 PSU WB ELP3 PI5 L1200	-	WT490C	Yes
910925867711	WT490C 64S/840 PSU WB ELP3TW1 PI5 L12	-	WT490C	Yes
910925867712	WT490C 64S/840 PSD WB PI5 L1200	-	WT490C	Yes
910925867713	WT490C 64S/840 PSD WB TW1 PI5 L1200	-	WT490C	Yes
910925867714	WT490C 64S/840 PSD WB TW3 PI7 L1200	-	WT490C	Yes
910925867715	WT490C 64S/840 PSD WB ELD3PI7 L1200	-	WT490C	Yes
910925867716	WT490C 64S/840 PSD WB ELD3TW1 PI7 L12	-	WT490C	Yes
910925867717	WT490C 64S/840 PSU VWB PI5L1200	-	WT490C	Yes
910925867718	WT490C 64S/840 PSD VWB PI5L1200	-	WT490C	Yes
910925867719	WT490C 80S/840 PSU NB-HRO PI5 L1200	-	WT490C	Yes
910925867720	WT490C 80S/840 PSD NB-HRO PI5 L1200	-	WT490C	Yes
910925867721	WT490C 80S/840 PSU WB TW1 PI5 L1200	-	WT490C	Yes
910925867722	WT490C 80S/840 PSU WB TW3 PI5 L1200	-	WT490C	Yes
910925867723	WT490C 80S/840 PSU WB ELP3 PI5 L1200	-	WT490C	Yes
910925867724	WT490C 80S/840 PSD WB PI5 L1200	-	WT490C	Yes
910925867725	WT490C 80S/840 PSD WB TW1 PI5 L1200	-	WT490C	Yes
910925867726	WT490C 80S/840 PSD WB TW3 PI7 L1200	-	WT490C	Yes
910925867727	WT490C 80S/840 PSD WB ELD3 PI7 L1200	-	WT490C	Yes
910925867728	WT490C 80S/840 PSU VWB PI5 L1200	-	WT490C	Yes
910925867729	WT490C 80S/840 PSD VWB PI5 L1200	-	WT490C	Yes
910925867743	WT490C 64S/840 PSU NB-HRO WA7 L1200	-	WT490C	Yes
910925867744	WT490C 64S/840 PSD NB-HRO WA7 L1200	-	WT490C	Yes
910925868247	WT490C 64S/840 PSU WB WA7 L1200	-	WT490C	Yes
910925868249	WT490C 64S/840 PSU WB TW3 WA7 L1200	-	WT490C	Yes
910925868251	WT490C 64S/840 PSU WB ELP3 WA7 L1200	-	WT490C	Yes
910925868252	WT490C 64S/840 PSD WB WA7 L1200	-	WT490C	Yes
910925868253	WT490C 64S/840 PSD WB TW3 WA7 L1200	-	WT490C	Yes
910925868254	WT490C 64S/840 PSD WB ELD3 WA7 L1200	-	WT490C	Yes
910925868255	WT490C 64S/840 PSU VWB WA7 L1200	-	WT490C	Yes
910925868256	WT490C 64S/840 PSD VWB WA7 L1200	-	WT490C	Yes
910925868257	WT490C 80S/840 PSU NB-HRO WA7 L1200	-	WT490C	Yes
910925868258	WT490C 80S/840 PSD NB-HRO WA7 L1200	-	WT490C	Yes
910925868259	WT490C 80S/840 PSU WB WA7 L1200	-	WT490C	Yes
910925868260	WT490C 80S/840 PSU WB TW3 WA7 L1200	-	WT490C	Yes
910925868261	WT490C 80S/840 PSU WB ELP3 WA7 L1200	-	WT490C	Yes
910925868262	WT490C 80S/840 PSD WB WA7 L1200	-	WT490C	Yes
910925868263	WT490C 80S/840 PSD WB TW3 WA7 L1200	-	WT490C	Yes
910925868264	WT490C 80S/840 PSD WB ELD3 WA7 L1200	-	WT490C	Yes
910925868265	WT490C 80S/840 PSU VWB WA7L1200	-	WT490C	Yes
910925868266	WT490C 80S/840 PSD VWB WA7L1200	-	WT490C	Yes
910925868288	WT490C 42S/840 PSU WB PI5 L1200	-	WT490C	Yes
910925868289	WT490C 64S/840 PSU WB PI5 L1200	-	WT490C	Yes
910925868290	WT490C 80S/840 PSU WB PI5 L1200	-	WT490C	Yes
910925868509	WT490C 42S/840 PSD VWB PI5 L1200	-	WT490C	Yes
910925868611	WT490C 42S/840 PSU WB WA7 L1200	-	WT490C	Yes

Order Code	Full Product Name	Explosion	Product family	Service tag
		hazard class	code	
910925868612	WT490C 42S/840 PSU VWB WA7 L1200	-	WT490C	Yes
910925868613	WT490C 42S/840 PSU WB TW3 WA7 L1200	-	WT490C	Yes
910925868614	WT490C 42S/840 PSU VWB TW3 WA7 L1200	-	WT490C	Yes
910925868615	WT490C 42S/840 PSD WB WA7 L1200	-	WT490C	Yes
910925868616	WT490C 42S/840 PSD VWB WA7 L1200	-	WT490C	Yes
910925868617	WT490C 42S/840 PSD WB TW3 WA7 L1200	-	WT490C	Yes
910925868618	WT490C 42S/840 PSD VWB TW3 WA7 L1200	-	WT490C	Yes
910925868619	WT490C 64S/840 PSU NB-HRO TW3 WA7 L12	-	WT490C	Yes
910925868620	WT490C 64S/840 PSD NB-HRO TW3 WA7 L12	-	WT490C	Yes
910925868621	WT490C 80S/840 PSU NB-HRO TW3 WA7 L12	-	WT490C	Yes
910925868622	WT490C 80S/840 PSD NB-HRO TW3 WA7 L12	-	WT490C	Yes
910925868691	WT490C 35S/840 PSU WB PI5 L1200	-	WT490C	-
910925868693	WT490C 35S/840 PSU WB WA7 L1200	-	WT490C	-
910925868695	WT490C 64S/840 PSU O L1200	-	WT490C	-
910925868696	WT490C 64S/840 PSU PCO L1200	-	WT490C	-
910925868699	WT495C 64S/840 PSU WB PI5 L1200	-	WT495C	-
910925868702	WT495C 64S/840 PSD WB PI5 L1200	-	WT495C	-
910925868708	WT490C 64S/840 PSU CLII WB WA7 L1200	-	WT490C	-
910925869401	WT490C 64S/840 PSU WB TW3x2.5 PI5 L1200	-	WT490C	-
910925869402	WT490C 64S/840 PSU WB ELP3 TW1x2.5 PI5	-	WT490C	-
L				
910925869403	WT490C 80S/840 PSU WB TW3x2.5 PI5 L1200	-	WT490C	-
910925869404	WT490C 80S/840 PSD WB TW3x2.5 PI7 L1200	-	WT490C	-
910925869410	WT490C 42S/840 PSU WB TW3x2.5 PI5 L1200	-	WT490C	-
91092586960	WT490C 100S/840 PSD WB PI5 L1200	-	WT490C	-
6				
91092586960	WT490C 100S/840 PSU WB WA7 L1200	-	WT490C	-
8				
91092586960	WT490C 100S/840 PSD WB WA7 L1200	-	WT490C	-
9				
910925869610	WT490C 100S/840 PSU WB PI5 L1200	-	WT490C	-
910925868412	WT490C 64S/840 PSD WB PI5 L1600	-	WT490C	Yes
910925868413	WT490C 64S/840 PSU WB TW3 PI5 L1600	-	WT490C	Yes
910925868414	WT490C 64S/840 PSU WB PI5 L1600	-	WT490C	Yes
910925868415	WT490C 80S/840 PSU WB PI5 L1600	-	WT490C	Yes
910925868416	WT490C 80S/840 PSD WB PI5 L1600	-	WT490C	Yes
910925868417	WT490C 80S/840 PSU WB TW3 PI5 L1600	-	WT490C	Yes
910925868418	WT490C 64S/840 PSD WB WA7 L1600	-	WT490C	Yes
910925868419	WT490C 64S/840 PSU WB TW3 WA7 L1600	-	WT490C	Yes
910925868420	WT490C 64S/840 PSU WB WA7 L1600	-	WT490C	Yes
910925868421	WT490C 80S/840 PSU WB WA7 L1600	-	WT490C	Yes
910925868422	WT490C 80S/840 PSD WB WA7 L1600	-	WT490C	Yes
910925868423	WT490C 80S/840 PSU WB TW3 WA7 L1600	-	WT490C	Yes
910925868692	WT490C 35S/840 PSU WB PI5 L1600	-	WT490C	-
910925868694	WT490C 35S/840 PSU WB WA7 L1600	-	WT490C	-
910925869407	WT490C 64S/840 PSU WB TW3x2.5 PI5 L1600	-	WT490C	-
910925869408	WT490C 80S/840 PSU WB TW3x2.5 PI5	-	WT490C	-
L1600				
910925867703	WT490C 23S/840 PSD WB PI5 L700	-	WT490C	Yes
910925868287	WT490C 23S/840 PSU WB PI5 L700	-	WT490C	Yes
910925868250	WT490C 64S/840 PSU WB TCW5W5 L1200	-	WT490C	Yes

Order Code	Full Product Name	Explosion hazard class	Product family code	Service tag
910925868510	WT490C 64S/840 PSU WB W5 L1200	-	WT490C	Yes
910925868511	WT490C 80S/840 PSU WB W5 L1200	-	WT490C	Yes
910925868512	WT490C 64S/840 PSD WB W5 L1200	-	WT490C	Yes
910925868513	WT490C 80S/840 PSD WB W5 L1200	-	WT490C	Yes

Light Technical (1/2)

Order Code	Full Product Name	Correlated Color Temperature (Nom)	Luminous Efficacy (rated) (Nom)	Luminous Flux	Optic type	Order Code	Full Product Name	Correlated Color Temperature (Nom)	Luminous Efficacy (rated) (Nom)	Luminous Flux	Optic type
910925867731	WT490C 80S/840 PSU NB-HRO PI5 L1800	4000 K	165 lm/W	8,000 lm	Narrow beam - High-rack optic	910925867741	WT490C 120S/840 PSD WB PI5 L1800	4000 K	158 lm/W	12,000 lm	Wide beam
910925867732	WT490C 80S/840 PSD NB-HRO PI5 L1800	4000 K	165 lm/W	8,000 lm	Narrow beam - High-rack optic	910925868292	WT490C 80S/840 PSU WB PI5 L1800	4000 K	165 lm/W	8,000 lm	Wide beam
910925867733	WT490C 80S/840 PSU WB TW3 PI5 L1800	4000 K	165 lm/W	8,000 lm	Wide beam	910925868293	WT490C 100S/840 PSU WB PI5 L1800	4000 K	161 lm/W	10,000 lm	Wide beam
910925867734	WT490C 80S/840 PSU WB ELP3 PI5 L1800	4000 K	154 lm/W	8,000 lm	Wide beam	910925868294	WT490C 120S/840 PSU WB PI5 L1800	4000 K	158 lm/W	12,000 lm	Wide beam
910925867735	WT490C 80S/840 PSD WB PI5 L1800	4000 K	165 lm/W	8,000 lm	Wide beam	910925868516	WT490C 80S/840 SIA WB IA9 PI5 L1800	4000 K	165 lm/W	8,000 lm	Wide beam
910925867736	WT490C 80S/840 PSD WB TW3 PI7 L1800	4000 K	165 lm/W	8,000 lm	Wide beam	910925868697	WT490C 80S/840 PSU O L1800	4000 K	157 lm/W	7,600 lm	Opal
910925867737	WT490C 80S/840 PSD WB ELD3 PI7 L1800	4000 K	154 lm/W	8,000 lm	Wide beam	910925868698	WT490C 80S/840 PSU PCO L1800	4000 K	136 lm/W	6,600 lm	Opal
910925867738	WT490C 80S/840 PSU VWB PI5 L1800	4000 K	165 lm/W	8,000 lm	Very wide beam	910925868701	WT495C 80S/840 PSU WB PI5 L1800	4000 K	157 lm/W	8,000 lm	Wide beam
910925867739	WT490C 80S/840 PSD VWB PI5 L1800	4000 K	165 lm/W	8,000 lm	Very wide beam	910925868703	WT495C 80S/840 PSD WB PI5 L1800	4000 K	157 lm/W	8,000 lm	Wide beam
910925867740	WT490C 100S/840 PSD WB PI5 L1800	4000 K	161 lm/W	10,000 lm	Wide beam	910925868709	WT490C 80S/840 PSU CLII WB WA7 L1800	4000 K	165 lm/W	8,000 lm	Wide beam
						910925869405	WT490C 80S/840 PSU WB TW3x2.5 PI5 L1800	4000 K	165 lm/W	8,000 lm	Wide beam
						910925869406	WT490C 80S/840 PSD WB TW3x2.5 PI7 L1800	4000 K	165 lm/W	8,000 lm	Wide beam

Pacific LED Gen5

Order Code	Full Product Name	Correlated Color Temperature (Nom)	Luminous Efficacy (rated) (Nom)	Luminous Flux	Optic type
910925869607	WT490C 150S/840 PSD WB PI5 L1800	4000 K	155 lm/W	15,000 lm	Very wide beam
910925869611	WT490C 150S/840 PSU WB PI5 L1800	4000 K	155 lm/W	15,000 lm	Very wide beam
910925868704	WT492C 64S/840 PSU WB W5 L1200	4000 K	160 lm/W	6,400 lm	Wide beam
910925868705	WT492C 80S/840 PSU WB W5 L1800	4000 K	165 lm/W	8,000 lm	Wide beam
910925868706	WT492C 64S/840 PSD WB W5 L1200	4000 K	162 lm/W	6,400 lm	Wide beam
910925868707	WT492C 80S/840 PSD WB W5 L1800	4000 K	165 lm/W	8,000 lm	Wide beam
910770229590	WT490C 42S/830 PSU WB PI5 L1200	3000 K	157 lm/W	4,200 lm	Wide beam
910925867704	WT490C 42S/840 PSD WB PI5 L1200	4000 K	162 lm/W	4,200 lm	Wide beam
910925867705	WT490C 64S/840 PSU NB-HRO PI5 L1200	4000 K	160 lm/W	6,400 lm	Narrow beam - High-rack optic
910925867706	WT490C 64S/840 PSD NB-HRO PI5 L1200	4000 K	162 lm/W	6,400 lm	Narrow beam - High-rack optic
910925867707	WT490C 64S/840 PSU WB TW1 PI5 L1200	4000 K	160 lm/W	6,400 lm	Wide beam
910925867708	WT490C 64S/840 PSU WB TW3 PI5 L1200	4000 K	160 lm/W	6,400 lm	Wide beam
910925867709	WT490C 64S/840 PSU WB TCW5 PI5 L1200	4000 K	160 lm/W	6,400 lm	Wide beam
910925867710	WT490C 64S/840 PSU	4000 K	146 lm/W	6,400 lm	Wide beam

Order Code	Full Product Name	Correlated Color Temperature (Nom)	Luminous Efficacy (rated) (Nom)	Luminous Flux	Optic type
	WB ELP3 PI5 L1200				
910925867711	WT490C 64S/840 PSU WB ELP3TW1 PI5 L12	4000 K	146 lm/W	6,400 lm	Wide beam
910925867712	WT490C 64S/840 PSD WB PI5 L1200	4000 K	162 lm/W	6,400 lm	Wide beam
910925867713	WT490C 64S/840 PSD WB TW1 PI5 L1200	4000 K	162 lm/W	6,400 lm	Wide beam
910925867714	WT490C 64S/840 PSD WB TW3 PI7 L1200	4000 K	162 lm/W	6,400 lm	Wide beam
910925867715	WT490C 64S/840 PSD WB ELD3PI7 L1200	4000 K	147 lm/W	6,400 lm	Wide beam
910925867716	WT490C 64S/840 PSD WB ELD3TW1 PI7 L12	4000 K	147 lm/W	6,400 lm	Wide beam
910925867717	WT490C 64S/840 PSU VWB PI5L1200	4000 K	160 lm/W	6,400 lm	Very wide beam
910925867718	WT490C 64S/840 PSD VWB PI5L1200	4000 K	162 lm/W	6,400 lm	Very wide beam
910925867719	WT490C 80S/840 PSU NB-HRO PI5 L1200	4000 K	157 lm/W	8,000 lm	Narrow beam - High-rack optic
910925867720	WT490C 80S/840 PSD NB-HRO PI5 L1200	4000 K	157 lm/W	8,000 lm	Narrow beam - High-rack optic
910925867721	WT490C 80S/840 PSU WB TW1 PI5 L1200	4000 K	157 lm/W	8,000 lm	Wide beam
910925867722	WT490C 80S/840 PSU WB TW3 PI5 L1200	4000 K	157 lm/W	8,000 lm	Wide beam

Pacific LED Gen5

Order Code	Full Product Name	Correlated Color Temperature (Nom)	Luminous Efficacy (rated) (Nom)	Luminous Flux	Optic type
910925867723	WT490C 80S/840 PSU WB ELP3 P15 L1200	4000 K	146 lm/W	8,000 lm	Wide beam
910925867724	WT490C 80S/840 PSD WB P15 L1200	4000 K	157 lm/W	8,000 lm	Wide beam
910925867725	WT490C 80S/840 PSD WB TW1 P15 L1200	4000 K	157 lm/W	8,000 lm	Wide beam
910925867726	WT490C 80S/840 PSD WB TW3 P17 L1200	4000 K	157 lm/W	8,000 lm	Wide beam
910925867727	WT490C 80S/840 PSD WB ELD3 P17 L1200	4000 K	146 lm/W	8,000 lm	Wide beam
910925867728	WT490C 80S/840 PSU VWB P15 L1200	4000 K	157 lm/W	8,000 lm	Very wide beam
910925867729	WT490C 80S/840 PSD VWB P15 L1200	4000 K	157 lm/W	8,000 lm	Very wide beam
910925867743	WT490C 64S/840 PSU NB-HRO WA7 L1200	4000 K	160 lm/W	6,400 lm	Narrow beam - High-rack optic
910925867744	WT490C 64S/840 PSD NB-HRO WA7 L1200	4000 K	162 lm/W	6,400 lm	Narrow beam - High-rack optic
910925868247	WT490C 64S/840 PSU WB WA7 L1200	4000 K	160 lm/W	6,400 lm	Wide beam
910925868249	WT490C 64S/840 PSU WB TW3 WA7 L1200	4000 K	160 lm/W	6,400 lm	Wide beam
910925868251	WT490C 64S/840 PSU WB ELP3 WA7 L1200	4000 K	146 lm/W	6,400 lm	Wide beam
910925868252	WT490C 64S/840 PSD WB WA7 L1200	4000 K	162 lm/W	6,400 lm	Wide beam

Order Code	Full Product Name	Correlated Color Temperature (Nom)	Luminous Efficacy (rated) (Nom)	Luminous Flux	Optic type
910925868253	WT490C 64S/840 PSD WB TW3 WA7 L1200	4000 K	162 lm/W	6,400 lm	Wide beam
910925868254	WT490C 64S/840 PSD WB ELD3 WA7 L1200	4000 K	147 lm/W	6,400 lm	Wide beam
910925868255	WT490C 64S/840 PSU VWB WA7 L1200	4000 K	160 lm/W	6,400 lm	Very wide beam
910925868256	WT490C 64S/840 PSD VWB WA7 L1200	4000 K	162 lm/W	6,400 lm	Very wide beam
910925868257	WT490C 80S/840 PSU NB-HRO WA7 L1200	4000 K	157 lm/W	8,000 lm	Narrow beam - High-rack optic
910925868258	WT490C 80S/840 PSD NB-HRO WA7 L1200	4000 K	157 lm/W	8,000 lm	Narrow beam - High-rack optic
910925868259	WT490C 80S/840 PSU WB WA7 L1200	4000 K	157 lm/W	8,000 lm	Wide beam
910925868260	WT490C 80S/840 PSU WB TW3 WA7 L1200	4000 K	157 lm/W	8,000 lm	Wide beam
910925868261	WT490C 80S/840 PSU WB ELP3 WA7 L1200	4000 K	146 lm/W	8,000 lm	Wide beam
910925868262	WT490C 80S/840 PSD WB WA7 L1200	4000 K	157 lm/W	8,000 lm	Wide beam
910925868263	WT490C 80S/840 PSD WB TW3 WA7 L1200	4000 K	157 lm/W	8,000 lm	Wide beam
910925868264	WT490C 80S/840 PSD WB ELD3 WA7 L1200	4000 K	146 lm/W	8,000 lm	Wide beam
910925868265	WT490C 80S/840 PSU VWB WA7L1200	4000 K	157 lm/W	8,000 lm	Very wide beam

Pacific LED Gen5

Order Code	Full Product Name	Correlated Color	Luminous Efficacy	Luminous Flux	Optic type
		Temperature (Nom)	(rated) (Nom)		
910925868266	WT490C 80S/840 PSD VWB WA7L1200	4000 K	157 lm/W	8,000 lm	Very wide beam
910925868288	WT490C 42S/840 PSU WB PI5 L1200	4000 K	165 lm/W	4,200 lm	Wide beam
910925868289	WT490C 64S/840 PSU WB PI5 L1200	4000 K	160 lm/W	6,400 lm	Wide beam
910925868290	WT490C 80S/840 PSU WB PI5 L1200	4000 K	157 lm/W	8,000 lm	Wide beam
910925868509	WT490C 42S/840 PSD VWB PI5 L1200	4000 K	162 lm/W	4,200 lm	Very wide beam
910925868611	WT490C 42S/840 PSU WB WA7 L1200	4000 K	165 lm/W	4,200 lm	Wide beam
910925868612	WT490C 42S/840 PSU VWB WA7 L1200	4000 K	165 lm/W	4,200 lm	Very wide beam
910925868613	WT490C 42S/840 PSU WB TW3 WA7 L1200	4000 K	165 lm/W	4,200 lm	Wide beam
910925868614	WT490C 42S/840 PSU VWB TW3 WA7 L1200	4000 K	162 lm/W	4,200 lm	Wide beam
910925868615	WT490C 42S/840 PSD WB WA7 L1200	4000 K	162 lm/W	4,200 lm	Wide beam
910925868616	WT490C 42S/840 PSD VWB WA7 L1200	4000 K	162 lm/W	4,200 lm	Very wide beam
910925868617	WT490C 42S/840 PSD WB TW3 WA7 L1200	4000 K	162 lm/W	4,200 lm	Wide beam
910925868618	WT490C 42S/840 PSD VWB TW3 WA7 L1200	4000 K	162 lm/W	4,200 lm	Very wide beam
910925868619	WT490C 64S/840 PSU NB-HRO TW3 WA7 L12	4000 K	160 lm/W	6,400 lm	Narrow beam - High-rack optic

Order Code	Full Product Name	Correlated Color	Luminous Efficacy	Luminous Flux	Optic type
		Temperature (Nom)	(rated) (Nom)		
910925868620	WT490C 64S/840 PSD NB-HRO TW3 WA7 L12	4000 K	162 lm/W	6,400 lm	Narrow beam - High-rack optic
910925868621	WT490C 80S/840 PSU NB-HRO TW3 WA7 L12	4000 K	157 lm/W	8,000 lm	Narrow beam - High-rack optic
910925868622	WT490C 80S/840 PSD NB-HRO TW3 WA7 L12	4000 K	157 lm/W	8,000 lm	Narrow beam - High-rack optic
910925868691	WT490C 35S/840 PSU WB PI5 L1200	4000 K	159 lm/W	3,500 lm	Wide beam
910925868693	WT490C 35S/840 PSU WB WA7 L1200	4000 K	159 lm/W	3,500 lm	Wide beam
910925868695	WT490C 64S/840 PSU O L1200	4000 K	155 lm/W	6,200 lm	Opal
910925868696	WT490C 64S/840 PSU PCO L1200	4000 K	133 lm/W	5,300 lm	Opal
910925868699	WT495C 64S/840 PSU WB PI5 L1200	4000 K	158 lm/W	6,400 lm	Wide beam
910925868702	WT495C 64S/840 PSD WB PI5 L1200	4000 K	158 lm/W	6,400 lm	Wide beam
910925868708	WT490C 64S/840 PSU CLII WB WA7 L1200	4000 K	160 lm/W	6,400 lm	Wide beam
910925869401	WT490C 64S/840 PSU WB TW3x2.5 PI5 L1200	4000 K	160 lm/W	6,400 lm	Wide beam
910925869402	WT490C 64S/840 PSU WB ELP3 TW1x2.5 PI5 L	4000 K	146 lm/W	6,400 lm	Wide beam
910925869403	WT490C 80S/840 PSU WB TW3x2.5 PI5 L1200	4000 K	157 lm/W	8,000 lm	Wide beam

Pacific LED Gen5

Order Code	Full Product Name	Correlated Color Temperature (Nom)	Luminous Efficacy (rated) (Nom)	Luminous Flux	Optic type
910925869404	WT490C 80S/840 PSD WB TW3x2.5 PI7 L1200	4000 K	157 lm/W	8,000 lm	Wide beam
910925869410	WT490C 42S/840 PSU WB TW3x2.5 PI5 L1200	4000 K	165 lm/W	4,200 lm	Wide beam
91092586960 6	WT490C 100S/840 PSD WB PI5 L1200	4000 K	152 lm/W	10,000 lm	Very wide beam
91092586960 8	WT490C 100S/840 PSU WB WA7 L1200	4000 K	154 lm/W	10,000 lm	Very wide beam
91092586960 9	WT490C 100S/840 PSD WB WA7 L1200	4000 K	152 lm/W	10,000 lm	Very wide beam
910925869610	WT490C 100S/840 PSU WB PI5 L1200	4000 K	154 lm/W	10,000 lm	Very wide beam
910925868412	WT490C 64S/840 PSD WB PI5 L1600	4000 K	162 lm/W	6,400 lm	Wide beam
910925868413	WT490C 64S/840 PSU WB TW3 PI5 L1600	4000 K	160 lm/W	6,400 lm	Wide beam
910925868414	WT490C 64S/840 PSU WB PI5 L1600	4000 K	160 lm/W	6,400 lm	Wide beam
910925868415	WT490C 80S/840 PSU WB PI5 L1600	4000 K	157 lm/W	8,000 lm	Wide beam
910925868416	WT490C 80S/840 PSD WB PI5 L1600	4000 K	157 lm/W	8,000 lm	Wide beam
910925868417	WT490C 80S/840 PSU WB TW3 PI5 L1600	4000 K	157 lm/W	8,000 lm	Wide beam
910925868418	WT490C 64S/840 PSD WB WA7 L1600	4000 K	162 lm/W	6,400 lm	Wide beam
910925868419	WT490C 64S/840 PSU WB TW3 WA7 L1600	4000 K	160 lm/W	6,400 lm	Wide beam
910925868420	WT490C 64S/840 PSU WB WA7 L1600	4000 K	160 lm/W	6,400 lm	Wide beam

Order Code	Full Product Name	Correlated Color Temperature (Nom)	Luminous Efficacy (rated) (Nom)	Luminous Flux	Optic type
910925868421	WT490C 80S/840 PSU WB WA7 L1600	4000 K	157 lm/W	8,000 lm	Wide beam
910925868422	WT490C 80S/840 PSD WB WA7 L1600	4000 K	157 lm/W	8,000 lm	Wide beam
910925868423	WT490C 80S/840 PSU WB TW3 WA7 L1600	4000 K	157 lm/W	8,000 lm	Wide beam
910925868692	WT490C 35S/840 PSU WB PI5 L1600	4000 K	159 lm/W	3,500 lm	Wide beam
910925868694	WT490C 35S/840 PSU WB WA7 L1600	4000 K	159 lm/W	3,500 lm	Wide beam
910925869407	WT490C 64S/840 PSU WB TW3x2.5 PI5 L1600	4000 K	160 lm/W	6,400 lm	Wide beam
910925869408	WT490C 80S/840 PSU WB TW3x2.5 PI5 L1600	4000 K	157 lm/W	8,000 lm	Wide beam
910925867703	WT490C 23S/840 PSD WB PI5 L700	4000 K	160 lm/W	2,300 lm	Wide beam
910925868287	WT490C 23S/840 PSU WB PI5 L700	4000 K	151 lm/W	2,300 lm	Wide beam
910925868250	WT490C 64S/840 PSU WB TCW5W5 L1200	4000 K	160 lm/W	6,400 lm	Wide beam
910925868510	WT490C 64S/840 PSU WB W5 L1200	4000 K	160 lm/W	6,400 lm	Wide beam
910925868511	WT490C 80S/840 PSU WB W5 L1200	4000 K	157 lm/W	8,000 lm	Wide beam
910925868512	WT490C 64S/840 PSD WB W5 L1200	4000 K	162 lm/W	6,400 lm	Wide beam
910925868513	WT490C 80S/840 PSD WB W5 L1200	4000 K	157 lm/W	8,000 lm	Wide beam

Light Technical (2/2)

Order Code	Full Product Name	Flickering value (PstLM)	
		- Flickering value as per EN 61000-3-3	Stroboscopic effect visibility measure (SVM)
910925867731	WT490C 80S/840 PSU NB-HRO PI5 L1800	1	0.4
910925867732	WT490C 80S/840 PSD NB-HRO PI5 L1800	1	0.4
910925867733	WT490C 80S/840 PSU WB TW3 PI5 L1800	1	0.4
910925867734	WT490C 80S/840 PSU WB ELP3 PI5 L1800	1	0.4
910925867735	WT490C 80S/840 PSD WB PI5 L1800	1	0.4
910925867736	WT490C 80S/840 PSD WB TW3 PI7 L1800	1	0.4
910925867737	WT490C 80S/840 PSD WB ELD3 PI7 L1800	1	0.4
910925867738	WT490C 80S/840 PSU VWB PI5 L1800	1	0.4
910925867739	WT490C 80S/840 PSD VWB PI5 L1800	1	0.4
910925867740	WT490C 100S/840 PSD WB PI5 L1800	1	0.4
910925867741	WT490C 120S/840 PSD WB PI5 L1800	1	0.4
910925868292	WT490C 80S/840 PSU WB PI5 L1800	1	0.4
910925868293	WT490C 100S/840 PSU WB PI5 L1800	1	0.4
910925868294	WT490C 120S/840 PSU WB PI5 L1800	1	0.4
910925868516	WT490C 80S/840 SIA WB IA9 PI5 L1800	1	0.4
910925868697	WT490C 80S/840 PSU O L1800	1	0.4
910925868698	WT490C 80S/840 PSU PCO L1800	1	0.4
910925868701	WT495C 80S/840 PSU WB PI5 L1800	1	0.4
910925868703	WT495C 80S/840 PSD WB PI5 L1800	1	0.4
910925868709	WT490C 80S/840 PSU CLII WB WA7 L1800	1	0.4
910925869405	WT490C 80S/840 PSU WB TW3x2.5 PI5 L1800	1	0.4
910925869406	WT490C 80S/840 PSD WB TW3x2.5 PI7 L1800	1	0.4
910925869607	WT490C 150S/840 PSD WB PI5 L1800	-	-
910925869611	WT490C 150S/840 PSU WB PI5 L1800	-	-

Order Code	Full Product Name	Flickering value (PstLM)	
		- Flickering value as per EN 61000-3-3	Stroboscopic effect visibility measure (SVM)
910925868704	WT492C 64S/840 PSU WB W5 L1200	1	0.4
910925868705	WT492C 80S/840 PSU WB W5 L1800	1	0.4
910925868706	WT492C 64S/840 PSD WB W5 L1200	1	0.4
910925868707	WT492C 80S/840 PSD WB W5 L1800	1	0.4
910770229590	WT490C 42S/830 PSU WB PI5 L1200	1	0.4
910925867704	WT490C 42S/840 PSD WB PI5 L1200	1	0.4
910925867705	WT490C 64S/840 PSU NB-HRO PI5 L1200	1	0.4
910925867706	WT490C 64S/840 PSD NB-HRO PI5 L1200	1	0.4
910925867707	WT490C 64S/840 PSU WB TW1 PI5 L1200	1	0.4
910925867708	WT490C 64S/840 PSU WB TW3 PI5 L1200	1	0.4
910925867709	WT490C 64S/840 PSU WB TCW5 PI5 L1200	1	0.4
910925867710	WT490C 64S/840 PSU WB ELP3 PI5 L1200	1	0.4
910925867711	WT490C 64S/840 PSU WB ELP3TW1 PI5 L12	1	0.4
910925867712	WT490C 64S/840 PSD WB PI5 L1200	1	0.4
910925867713	WT490C 64S/840 PSD WB TW1 PI5 L1200	1	0.4
910925867714	WT490C 64S/840 PSD WB TW3 PI7 L1200	1	0.4
910925867715	WT490C 64S/840 PSD WB ELD3PI7 L1200	1	0.4
910925867716	WT490C 64S/840 PSD WB ELD3TW1 PI7 L12	1	0.4
910925867717	WT490C 64S/840 PSU VWB PI5L1200	1	0.4
910925867718	WT490C 64S/840 PSD VWB PI5L1200	1	0.4
910925867719	WT490C 80S/840 PSU NB-HRO PI5 L1200	1	0.4
910925867720	WT490C 80S/840 PSD NB-HRO PI5 L1200	1	0.4
910925867721	WT490C 80S/840 PSU WB TW1 PI5 L1200	1	0.4

Pacific LED Gen5

Order Code	Full Product Name	Flickering value (PstLM)	
		- Flickering value as per EN 61000-3-3	Stroboscopic effect visibility measure (SVM)
910925867722	WT490C 80S/840 PSU WB TW3 PI5 L1200	1	0.4
910925867723	WT490C 80S/840 PSU WB ELP3 PI5 L1200	1	0.4
910925867724	WT490C 80S/840 PSD WB PI5 L1200	1	0.4
910925867725	WT490C 80S/840 PSD WB TW1 PI5 L1200	1	0.4
910925867726	WT490C 80S/840 PSD WB TW3 PI7 L1200	1	0.4
910925867727	WT490C 80S/840 PSD WB ELD3 PI7 L1200	1	0.4
910925867728	WT490C 80S/840 PSU VWB PI5 L1200	1	0.4
910925867729	WT490C 80S/840 PSD VWB PI5 L1200	1	0.4
910925867743	WT490C 64S/840 PSU NB-HRO WA7 L1200	1	0.4
910925867744	WT490C 64S/840 PSD NB-HRO WA7 L1200	1	0.4
910925868247	WT490C 64S/840 PSU WB WA7 L1200	1	0.4
910925868249	WT490C 64S/840 PSU WB TW3 WA7 L1200	1	0.4
910925868251	WT490C 64S/840 PSU WB ELP3 WA7 L1200	1	0.4
910925868252	WT490C 64S/840 PSD WB WA7 L1200	1	0.4
910925868253	WT490C 64S/840 PSD WB TW3 WA7 L1200	1	0.4
910925868254	WT490C 64S/840 PSD WB ELD3 WA7 L1200	1	0.4
910925868255	WT490C 64S/840 PSU VWB WA7 L1200	1	0.4
910925868256	WT490C 64S/840 PSD VWB WA7 L1200	1	0.4
910925868257	WT490C 80S/840 PSU NB-HRO WA7 L1200	1	0.4
910925868258	WT490C 80S/840 PSD NB-HRO WA7 L1200	1	0.4
910925868259	WT490C 80S/840 PSU WB WA7 L1200	1	0.4
910925868260	WT490C 80S/840 PSU WB TW3 WA7 L1200	1	0.4
910925868261	WT490C 80S/840 PSU WB ELP3 WA7 L1200	1	0.4
910925868262	WT490C 80S/840 PSD WB WA7 L1200	1	0.4

Order Code	Full Product Name	Flickering value (PstLM)	
		- Flickering value as per EN 61000-3-3	Stroboscopic effect visibility measure (SVM)
910925868263	WT490C 80S/840 PSD WB TW3 WA7 L1200	1	0.4
910925868264	WT490C 80S/840 PSD WB ELD3 WA7 L1200	1	0.4
910925868265	WT490C 80S/840 PSU VWB WA7L1200	1	0.4
910925868266	WT490C 80S/840 PSD VWB WA7L1200	1	0.4
910925868288	WT490C 42S/840 PSU WB PI5 L1200	1	0.4
910925868289	WT490C 64S/840 PSU WB PI5 L1200	1	0.4
910925868290	WT490C 80S/840 PSU WB PI5 L1200	1	0.4
910925868509	WT490C 42S/840 PSD VWB PI5 L1200	1	0.4
910925868611	WT490C 42S/840 PSU WB WA7 L1200	1	0.4
910925868612	WT490C 42S/840 PSU VWB WA7 L1200	1	0.4
910925868613	WT490C 42S/840 PSU WB TW3 WA7 L1200	1	0.4
910925868614	WT490C 42S/840 PSU VWB TW3 WA7 L1200	1	0.4
910925868615	WT490C 42S/840 PSD WB WA7 L1200	1	0.4
910925868616	WT490C 42S/840 PSD VWB WA7 L1200	1	0.4
910925868617	WT490C 42S/840 PSD WB TW3 WA7 L1200	1	0.4
910925868618	WT490C 42S/840 PSD VWB TW3 WA7 L1200	1	0.4
910925868619	WT490C 64S/840 PSU NB-HRO TW3 WA7 L12	1	0.4
910925868620	WT490C 64S/840 PSD NB-HRO TW3 WA7 L12	1	0.4
910925868621	WT490C 80S/840 PSU NB-HRO TW3 WA7 L12	1	0.4
910925868622	WT490C 80S/840 PSD NB-HRO TW3 WA7 L12	1	0.4
910925868691	WT490C 35S/840 PSU WB PI5 L1200	1	0.4
910925868693	WT490C 35S/840 PSU WB WA7 L1200	1	0.4
910925868695	WT490C 64S/840 PSU O L1200	1	0.4
910925868696	WT490C 64S/840 PSU PCO L1200	1	0.4
910925868699	WT495C 64S/840 PSU WB PI5 L1200	1	0.4

Pacific LED Gen5

Order Code	Full Product Name	Flickering value (PstLM)	
		- Flickering value as per EN 61000-3-3	Stroboscopic effect visibility measure (SVM)
910925868702	WT495C 64S/840 PSD WB PI5 L1200	1	0.4
910925868708	WT490C 64S/840 PSU CLII WB WA7 L1200	1	0.4
910925869401	WT490C 64S/840 PSU WB TW3x2.5 PI5 L1200	1	0.4
910925869402	WT490C 64S/840 PSU WB ELP3 TW1x2.5 PI5 L	1	0.4
910925869403	WT490C 80S/840 PSU WB TW3x2.5 PI5 L1200	1	0.4
910925869404	WT490C 80S/840 PSD WB TW3x2.5 PI7 L1200	1	0.4
910925869410	WT490C 42S/840 PSU WB TW3x2.5 PI5 L1200	1	0.4
910925869606	WT490C 100S/840 PSD WB PI5 L1200	-	-
910925869608	WT490C 100S/840 PSU WB WA7 L1200	-	-
910925869609	WT490C 100S/840 PSD WB WA7 L1200	-	-
910925869610	WT490C 100S/840 PSU WB PI5 L1200	-	-
910925868412	WT490C 64S/840 PSD WB PI5 L1600	1	0.4
910925868413	WT490C 64S/840 PSU WB TW3 PI5 L1600	1	0.4
910925868414	WT490C 64S/840 PSU WB PI5 L1600	1	0.4
910925868415	WT490C 80S/840 PSU WB PI5 L1600	1	0.4
910925868416	WT490C 80S/840 PSD WB PI5 L1600	1	0.4
910925868417	WT490C 80S/840 PSU WB TW3 PI5 L1600	1	0.4

Order Code	Full Product Name	Flickering value (PstLM)	
		- Flickering value as per EN 61000-3-3	Stroboscopic effect visibility measure (SVM)
910925868418	WT490C 64S/840 PSD WB WA7 L1600	1	0.4
910925868419	WT490C 64S/840 PSU WB TW3 WA7 L1600	1	0.4
910925868420	WT490C 64S/840 PSU WB WA7 L1600	1	0.4
910925868421	WT490C 80S/840 PSU WB WA7 L1600	1	0.4
910925868422	WT490C 80S/840 PSD WB WA7 L1600	1	0.4
910925868423	WT490C 80S/840 PSU WB TW3 WA7 L1600	1	0.4
910925868692	WT490C 35S/840 PSU WB PI5 L1600	1	0.4
910925868694	WT490C 35S/840 PSU WB WA7 L1600	1	0.4
910925869407	WT490C 64S/840 PSU WB TW3x2.5 PI5 L1600	1	0.4
910925869408	WT490C 80S/840 PSU WB TW3x2.5 PI5 L1600	1	0.4
910925867703	WT490C 23S/840 PSD WB PI5 L700	1	0.4
910925868287	WT490C 23S/840 PSU WB PI5 L700	1	0.4
910925868250	WT490C 64S/840 PSU WB TCW5W5 L1200	1	0.4
910925868510	WT490C 64S/840 PSU WB W5 L1200	1	0.4
910925868511	WT490C 80S/840 PSU WB W5 L1200	1	0.4
910925868512	WT490C 64S/840 PSD WB W5 L1200	1	0.4
910925868513	WT490C 80S/840 PSD WB W5 L1200	1	0.4

Operating and Electrical

Order Code	Full Product Name	Power Consumption
910925867731	WT490C 80S/840 PSU NB-HRO PI5 L1800	48.5 W
910925867732	WT490C 80S/840 PSD NB-HRO PI5 L1800	48.5 W
910925867733	WT490C 80S/840 PSU WB TW3 PI5 L1800	48.5 W
910925867734	WT490C 80S/840 PSU WB ELP3 PI5 L1800	52 W
910925867735	WT490C 80S/840 PSD WB PI5 L1800	48.5 W
910925867736	WT490C 80S/840 PSD WB TW3 PI7 L1800	48.5 W
910925867737	WT490C 80S/840 PSD WB ELD3 PI7 L1800	52 W
910925867738	WT490C 80S/840 PSU VWB PI5 L1800	48.5 W
910925867739	WT490C 80S/840 PSD VWB PI5 L1800	48.5 W
910925867740	WT490C 100S/840 PSD WB PI5 L1800	62 W

Order Code	Full Product Name	Power Consumption
910925867741	WT490C 120S/840 PSD WB PI5 L1800	76 W
910925868292	WT490C 80S/840 PSU WB PI5 L1800	48.5 W
910925868293	WT490C 100S/840 PSU WB PI5 L1800	62 W
910925868294	WT490C 120S/840 PSU WB PI5 L1800	76 W
910925868516	WT490C 80S/840 SIA WB IA9 PI5 L1800	48.5 W
910925868697	WT490C 80S/840 PSU O L1800	51 W
910925868698	WT490C 80S/840 PSU PCO L1800	48.5 W
910925868701	WT495C 80S/840 PSU WB PI5 L1800	49 W
910925868703	WT495C 80S/840 PSD WB PI5 L1800	48.5 W
910925868709	WT490C 80S/840 PSU CLII WB WA7 L1800	51 W

Pacific LED Gen5

Order Code	Full Product Name	Power Consumption
910925869405	WT490C 80S/840 PSU WB TW3x2.5 PI5 L1800	48.5 W
910925869406	WT490C 80S/840 PSD WB TW3x2.5 PI7 L1800	48.5 W
910925869607	WT490C 150S/840 PSD WB PI5 L1800	97 W
910925869611	WT490C 150S/840 PSU WB PI5 L1800	97 W
910925868704	WT492C 64S/840 PSU WB W5 L1200	40 W
910925868705	WT492C 80S/840 PSU WB W5 L1800	49 W
910925868706	WT492C 64S/840 PSD WB W5 L1200	39.5 W
910925868707	WT492C 80S/840 PSD WB W5 L1800	48.5 W
910770229590	WT490C 42S/830 PSU WB PI5 L1200	25.5 W
910925867704	WT490C 42S/840 PSD WB PI5 L1200	26 W
910925867705	WT490C 64S/840 PSU NB-HRO PI5 L1200	40 W
910925867706	WT490C 64S/840 PSD NB-HRO PI5 L1200	39.5 W
910925867707	WT490C 64S/840 PSU WB TW1 PI5 L1200	40 W
910925867708	WT490C 64S/840 PSU WB TW3 PI5 L1200	40 W
910925867709	WT490C 64S/840 PSU WB TCW5 PI5 L1200	40 W
910925867710	WT490C 64S/840 PSU WB ELP3 PI5 L1200	44 W
910925867711	WT490C 64S/840 PSU WB ELP3TW1 PI5 L12	44 W
910925867712	WT490C 64S/840 PSD WB PI5 L1200	39.5 W
910925867713	WT490C 64S/840 PSD WB TW1 PI5 L1200	39.5 W
910925867714	WT490C 64S/840 PSD WB TW3 PI7 L1200	39.5 W
910925867715	WT490C 64S/840 PSD WB ELD3PI7 L1200	43.5 W
910925867716	WT490C 64S/840 PSD WB ELD3TW1 PI7 L12	43.5 W
910925867717	WT490C 64S/840 PSU VWB PI5L1200	40 W
910925867718	WT490C 64S/840 PSD VWB PI5L1200	39.5 W
910925867719	WT490C 80S/840 PSU NB-HRO PI5 L1200	51 W
910925867720	WT490C 80S/840 PSD NB-HRO PI5 L1200	51 W
910925867721	WT490C 80S/840 PSU WB TW1 PI5 L1200	51 W
910925867722	WT490C 80S/840 PSU WB TW3 PI5 L1200	51 W
910925867723	WT490C 80S/840 PSU WB ELP3 PI5 L1200	55 W
910925867724	WT490C 80S/840 PSD WB PI5 L1200	51 W
910925867725	WT490C 80S/840 PSD WB TW1 PI5 L1200	51 W
910925867726	WT490C 80S/840 PSD WB TW3 PI7 L1200	51 W
910925867727	WT490C 80S/840 PSD WB ELD3 PI7 L1200	55 W
910925867728	WT490C 80S/840 PSU VWB PI5 L1200	51 W
910925867729	WT490C 80S/840 PSD VWB PI5 L1200	51 W
910925867743	WT490C 64S/840 PSU NB-HRO WA7 L1200	40 W
910925867744	WT490C 64S/840 PSD NB-HRO WA7 L1200	39.5 W
910925868247	WT490C 64S/840 PSU WB WA7 L1200	40 W
910925868249	WT490C 64S/840 PSU WB TW3 WA7 L1200	40 W
910925868251	WT490C 64S/840 PSU WB ELP3 WA7 L1200	44 W
910925868252	WT490C 64S/840 PSD WB WA7 L1200	39.5 W
910925868253	WT490C 64S/840 PSD WB TW3 WA7 L1200	39.5 W
910925868254	WT490C 64S/840 PSD WB ELD3 WA7 L1200	43.5 W
910925868255	WT490C 64S/840 PSU VWB WA7 L1200	40 W
910925868256	WT490C 64S/840 PSD VWB WA7 L1200	39.5 W
910925868257	WT490C 80S/840 PSU NB-HRO WA7 L1200	51 W
910925868258	WT490C 80S/840 PSD NB-HRO WA7 L1200	51 W
910925868259	WT490C 80S/840 PSU WB WA7 L1200	51 W
910925868260	WT490C 80S/840 PSU WB TW3 WA7 L1200	51 W
910925868261	WT490C 80S/840 PSU WB ELP3 WA7 L1200	55 W
910925868262	WT490C 80S/840 PSD WB WA7 L1200	51 W
910925868263	WT490C 80S/840 PSD WB TW3 WA7 L1200	51 W

Order Code	Full Product Name	Power Consumption
910925868264	WT490C 80S/840 PSD WB ELD3 WA7 L1200	55 W
910925868265	WT490C 80S/840 PSU VWB WA7L1200	51 W
910925868266	WT490C 80S/840 PSD VWB WA7L1200	51 W
910925868288	WT490C 42S/840 PSU WB PI5 L1200	25.5 W
910925868289	WT490C 64S/840 PSU WB PI5 L1200	40 W
910925868290	WT490C 80S/840 PSU WB PI5 L1200	51 W
910925868509	WT490C 42S/840 PSD VWB PI5 L1200	26 W
910925868611	WT490C 42S/840 PSU WB WA7 L1200	25.5 W
910925868612	WT490C 42S/840 PSU VWB WA7 L1200	25.5 W
910925868613	WT490C 42S/840 PSU WB TW3 WA7 L1200	25.5 W
910925868614	WT490C 42S/840 PSU VWB TW3 WA7 L1200	26 W
910925868615	WT490C 42S/840 PSD WB WA7 L1200	26 W
910925868616	WT490C 42S/840 PSD VWB WA7 L1200	26 W
910925868617	WT490C 42S/840 PSD WB TW3 WA7 L1200	26 W
910925868618	WT490C 42S/840 PSD VWB TW3 WA7 L1200	26 W
910925868619	WT490C 64S/840 PSU NB-HRO TW3 WA7 L12	40 W
910925868620	WT490C 64S/840 PSD NB-HRO TW3 WA7 L12	39.5 W
910925868621	WT490C 80S/840 PSU NB-HRO TW3 WA7 L12	51 W
910925868622	WT490C 80S/840 PSD NB-HRO TW3 WA7 L12	51 W
910925868691	WT490C 35S/840 PSU WB PI5 L1200	22 W
910925868693	WT490C 35S/840 PSU WB WA7 L1200	22 W
910925868695	WT490C 64S/840 PSU O L1200	40 W
910925868696	WT490C 64S/840 PSU PCO L1200	40 W
910925868699	WT495C 64S/840 PSU WB PI5 L1200	40.5 W
910925868702	WT495C 64S/840 PSD WB PI5 L1200	40.5 W
910925868708	WT490C 64S/840 PSU CLII WB WA7 L1200	40 W
910925869401	WT490C 64S/840 PSU WB TW3x2.5 PI5 L1200	40 W
910925869402	WT490C 64S/840 PSU WB ELP3 TW1x2.5 PI5 L	44 W
910925869403	WT490C 80S/840 PSU WB TW3x2.5 PI5 L1200	51 W
910925869404	WT490C 80S/840 PSD WB TW3x2.5 PI7 L1200	51 W
910925869410	WT490C 42S/840 PSU WB TW3x2.5 PI5 L1200	25.5 W
910925869606	WT490C 100S/840 PSD WB PI5 L1200	66 W
910925869608	WT490C 100S/840 PSU WB WA7 L1200	65 W
910925869609	WT490C 100S/840 PSD WB WA7 L1200	66 W
910925869610	WT490C 100S/840 PSU WB PI5 L1200	65 W
910925868412	WT490C 64S/840 PSD WB PI5 L1600	39.5 W
910925868413	WT490C 64S/840 PSU WB TW3 PI5 L1600	40 W
910925868414	WT490C 64S/840 PSU WB PI5 L1600	40 W
910925868415	WT490C 80S/840 PSU WB PI5 L1600	51 W
910925868416	WT490C 80S/840 PSD WB PI5 L1600	51 W
910925868417	WT490C 80S/840 PSU WB TW3 PI5 L1600	51 W
910925868418	WT490C 64S/840 PSD WB WA7 L1600	39.5 W
910925868419	WT490C 64S/840 PSU WB TW3 WA7 L1600	40 W
910925868420	WT490C 64S/840 PSU WB WA7 L1600	40 W
910925868421	WT490C 80S/840 PSU WB WA7 L1600	51 W
910925868422	WT490C 80S/840 PSD WB WA7 L1600	51 W
910925868423	WT490C 80S/840 PSU WB TW3 WA7 L1600	51 W
910925868692	WT490C 35S/840 PSU WB PI5 L1600	22 W
910925868694	WT490C 35S/840 PSU WB WA7 L1600	22 W
910925869407	WT490C 64S/840 PSU WB TW3x2.5 PI5 L1600	40 W
910925869408	WT490C 80S/840 PSU WB TW3x2.5 PI5 L1600	51 W
910925867703	WT490C 23S/840 PSD WB PI5 L700	14.4 W

Pacific LED Gen5

Order Code	Full Product Name	Power Consumption
910925868287	WT490C 23S/840 PSU WB PI5 L700	15.2 W
910925868250	WT490C 64S/840 PSU WB TCW5W5 L1200	40 W
910925868510	WT490C 64S/840 PSU WB W5 L1200	40 W

Order Code	Full Product Name	Power Consumption
910925868511	WT490C 80S/840 PSU WB W5 L1200	51 W
910925868512	WT490C 64S/840 PSD WB W5 L1200	39.5 W
910925868513	WT490C 80S/840 PSD WB W5 L1200	51 W

Temperature

Order Code	Full Product Name	Ambient temperature range
910925867731	WT490C 80S/840 PSU NB-HRO PI5 L1800	-25 to +45 °C
910925867732	WT490C 80S/840 PSD NB-HRO PI5 L1800	-25 to +45 °C
910925867733	WT490C 80S/840 PSU WB TW3 PI5 L1800	-25 to +45 °C
910925867734	WT490C 80S/840 PSU WB ELP3 PI5 L1800	0 to +30 °C
910925867735	WT490C 80S/840 PSD WB PI5 L1800	-25 to +45 °C
910925867736	WT490C 80S/840 PSD WB TW3 PI7 L1800	-25 to +45 °C
910925867737	WT490C 80S/840 PSD WB ELD3 PI7 L1800	0 to +30 °C
910925867738	WT490C 80S/840 PSU VWB PI5 L1800	-25 to +45 °C
910925867739	WT490C 80S/840 PSD VWB PI5 L1800	-25 to +45 °C
910925867740	WT490C 100S/840 PSD WB PI5 L1800	-25 to +45 °C
910925867741	WT490C 120S/840 PSD WB PI5 L1800	-25 to +45 °C
910925868292	WT490C 80S/840 PSU WB PI5 L1800	-25 to +45 °C
910925868293	WT490C 100S/840 PSU WB PI5 L1800	-25 to +45 °C
910925868294	WT490C 120S/840 PSU WB PI5 L1800	-25 to +45 °C
910925868516	WT490C 80S/840 SIA WB IA9 PI5 L1800	-25 to +45 °C
910925868697	WT490C 80S/840 PSU O L1800	-25 to +45 °C
910925868698	WT490C 80S/840 PSU PCO L1800	-25 to +45 °C
910925868701	WT495C 80S/840 PSU WB PI5 L1800	-35 to +60 °C
910925868703	WT495C 80S/840 PSD WB PI5 L1800	-35 to +60 °C
910925868709	WT490C 80S/840 PSU CLII WB WA7 L1800	-25 to +45 °C
910925869405	WT490C 80S/840 PSU WB TW3x2.5 PI5 L1800	-25 to +45 °C
910925869406	WT490C 80S/840 PSD WB TW3x2.5 PI7 L1800	-25 to +45 °C
910925869607	WT490C 150S/840 PSD WB PI5 L1800	-25 to +25 °C
910925869611	WT490C 150S/840 PSU WB PI5 L1800	-25 to +25 °C
910925868704	WT492C 64S/840 PSU WB W5 L1200	-25 to +45 °C
910925868705	WT492C 80S/840 PSU WB W5 L1800	-25 to +45 °C
910925868706	WT492C 64S/840 PSD WB W5 L1200	-25 to +45 °C
910925868707	WT492C 80S/840 PSD WB W5 L1800	-25 to +45 °C
910770229590	WT490C 42S/830 PSU WB PI5 L1200	-25 to +45 °C
910925867704	WT490C 42S/840 PSD WB PI5 L1200	-25 to +45 °C
910925867705	WT490C 64S/840 PSU NB-HRO PI5 L1200	-25 to +45 °C
910925867706	WT490C 64S/840 PSD NB-HRO PI5 L1200	-25 to +45 °C
910925867707	WT490C 64S/840 PSU WB TW1 PI5 L1200	-25 to +45 °C

Order Code	Full Product Name	Ambient temperature range
910925867708	WT490C 64S/840 PSU WB TW3 PI5 L1200	-25 to +45 °C
910925867709	WT490C 64S/840 PSU WB TCW5 PI5 L1200	-25 to +45 °C
910925867710	WT490C 64S/840 PSU WB ELP3 PI5 L1200	0 to +40 °C
910925867711	WT490C 64S/840 PSU WB ELP3TW1 PI5 L12	0 to +40 °C
910925867712	WT490C 64S/840 PSD WB PI5 L1200	-25 to +45 °C
910925867713	WT490C 64S/840 PSD WB TW1 PI5 L1200	-25 to +45 °C
910925867714	WT490C 64S/840 PSD WB TW3 PI7 L1200	-25 to +45 °C
910925867715	WT490C 64S/840 PSD WB ELD3PI7 L1200	0 to +40 °C
910925867716	WT490C 64S/840 PSD WB ELD3TW1 PI7 L12	0 to +40 °C
910925867717	WT490C 64S/840 PSU VWB PI5L1200	-25 to +45 °C
910925867718	WT490C 64S/840 PSD VWB PI5L1200	-25 to +45 °C
910925867719	WT490C 80S/840 PSU NB-HRO PI5 L1200	-25 to +45 °C
910925867720	WT490C 80S/840 PSD NB-HRO PI5 L1200	-25 to +45 °C
910925867721	WT490C 80S/840 PSU WB TW1 PI5 L1200	-25 to +45 °C
910925867722	WT490C 80S/840 PSU WB TW3 PI5 L1200	-25 to +45 °C
910925867723	WT490C 80S/840 PSU WB ELP3 PI5 L1200	0 to +30 °C
910925867724	WT490C 80S/840 PSD WB PI5 L1200	-25 to +45 °C
910925867725	WT490C 80S/840 PSD WB TW1 PI5 L1200	-25 to +45 °C
910925867726	WT490C 80S/840 PSD WB TW3 PI7 L1200	-25 to +45 °C
910925867727	WT490C 80S/840 PSD WB ELD3 PI7 L1200	0 to +30 °C
910925867728	WT490C 80S/840 PSU VWB PI5 L1200	-25 to +45 °C
910925867729	WT490C 80S/840 PSD VWB PI5 L1200	-25 to +45 °C
910925867743	WT490C 64S/840 PSU NB-HRO WA7 L1200	-25 to +45 °C
910925867744	WT490C 64S/840 PSD NB-HRO WA7 L1200	-25 to +45 °C
910925868247	WT490C 64S/840 PSU WB WA7 L1200	-25 to +45 °C
910925868249	WT490C 64S/840 PSU WB TW3 WA7 L1200	-25 to +45 °C

Pacific LED Gen5

Order Code	Full Product Name	Ambient temperature range
910925868251	WT490C 64S/840 PSU WB ELP3 WA7 L1200	0 to +40 °C
910925868252	WT490C 64S/840 PSD WB WA7 L1200	-25 to +45 °C
910925868253	WT490C 64S/840 PSD WB TW3 WA7 L1200	-25 to +45 °C
910925868254	WT490C 64S/840 PSD WB ELD3 WA7 L1200	0 to +40 °C
910925868255	WT490C 64S/840 PSU VWB WA7 L1200	-25 to +45 °C
910925868256	WT490C 64S/840 PSD VWB WA7 L1200	-25 to +45 °C
910925868257	WT490C 80S/840 PSU NB-HRO WA7 L1200	-25 to +45 °C
910925868258	WT490C 80S/840 PSD NB-HRO WA7 L1200	-25 to +45 °C
910925868259	WT490C 80S/840 PSU WB WA7 L1200	-25 to +45 °C
910925868260	WT490C 80S/840 PSU WB TW3 WA7 L1200	-25 to +45 °C
910925868261	WT490C 80S/840 PSU WB ELP3 WA7 L1200	0 to +30 °C
910925868262	WT490C 80S/840 PSD WB WA7 L1200	-25 to +45 °C
910925868263	WT490C 80S/840 PSD WB TW3 WA7 L1200	-25 to +45 °C
910925868264	WT490C 80S/840 PSD WB ELD3 WA7 L1200	0 to +30 °C
910925868265	WT490C 80S/840 PSU VWB WA7L1200	-25 to +45 °C
910925868266	WT490C 80S/840 PSD VWB WA7L1200	-25 to +45 °C
910925868288	WT490C 42S/840 PSU WB PI5 L1200	-25 to +45 °C
910925868289	WT490C 64S/840 PSU WB PI5 L1200	-25 to +45 °C
910925868290	WT490C 80S/840 PSU WB PI5 L1200	-25 to +45 °C
910925868509	WT490C 42S/840 PSD VWB PI5 L1200	-25 to +45 °C
910925868611	WT490C 42S/840 PSU WB WA7 L1200	-25 to +45 °C
910925868612	WT490C 42S/840 PSU VWB WA7 L1200	-25 to +45 °C
910925868613	WT490C 42S/840 PSU WB TW3 WA7 L1200	-25 to +45 °C
910925868614	WT490C 42S/840 PSU VWB TW3 WA7 L1200	-25 to +45 °C
910925868615	WT490C 42S/840 PSD WB WA7 L1200	-25 to +45 °C
910925868616	WT490C 42S/840 PSD VWB WA7 L1200	-25 to +45 °C
910925868617	WT490C 42S/840 PSD WB TW3 WA7 L1200	-25 to +45 °C
910925868618	WT490C 42S/840 PSD VWB TW3 WA7 L1200	-25 to +45 °C
910925868619	WT490C 64S/840 PSU NB-HRO TW3 WA7 L12	-25 to +45 °C
910925868620	WT490C 64S/840 PSD NB-HRO TW3 WA7 L12	-25 to +45 °C
910925868621	WT490C 80S/840 PSU NB-HRO TW3 WA7 L12	-25 to +45 °C
910925868622	WT490C 80S/840 PSD NB-HRO TW3 WA7 L12	-25 to +45 °C
910925868691	WT490C 35S/840 PSU WB PI5 L1200	-25 to +45 °C
910925868693	WT490C 35S/840 PSU WB WA7 L1200	-25 to +45 °C
910925868695	WT490C 64S/840 PSU O L1200	-25 to +45 °C

Order Code	Full Product Name	Ambient temperature range
910925868696	WT490C 64S/840 PSU PCO L1200	-25 to +45 °C
910925868699	WT495C 64S/840 PSU WB PI5 L1200	-35 to +60 °C
910925868702	WT495C 64S/840 PSD WB PI5 L1200	-35 to +60 °C
910925868708	WT490C 64S/840 PSU CLII WB WA7 L1200	-25 to +45 °C
910925869401	WT490C 64S/840 PSU WB TW3x2.5 PI5 L1200	-25 to +45 °C
910925869402	WT490C 64S/840 PSU WB ELP3 TW1x2.5 PI5 L	0 to +40 °C
910925869403	WT490C 80S/840 PSU WB TW3x2.5 PI5 L1200	-25 to +45 °C
910925869404	WT490C 80S/840 PSD WB TW3x2.5 PI7 L1200	-25 to +45 °C
910925869410	WT490C 42S/840 PSU WB TW3x2.5 PI5 L1200	-25 to +45 °C
91092586960	WT490C 100S/840 PSD WB PI5 L1200 6	-25 to +25 °C
91092586960	WT490C 100S/840 PSU WB WA7 L1200 8	-25 to +25 °C
91092586960	WT490C 100S/840 PSD WB WA7 L1200 9	-25 to +25 °C
910925869610	WT490C 100S/840 PSU WB PI5 L1200	-25 to +25 °C
910925868412	WT490C 64S/840 PSD WB PI5 L1600	-25 to +45 °C
910925868413	WT490C 64S/840 PSU WB TW3 PI5 L1600	-25 to +45 °C
910925868414	WT490C 64S/840 PSU WB PI5 L1600	-25 to +45 °C
910925868415	WT490C 80S/840 PSU WB PI5 L1600	-25 to +45 °C
910925868416	WT490C 80S/840 PSD WB PI5 L1600	-25 to +45 °C
910925868417	WT490C 80S/840 PSU WB TW3 PI5 L1600	-25 to +45 °C
910925868418	WT490C 64S/840 PSD WB WA7 L1600	-25 to +45 °C
910925868419	WT490C 64S/840 PSU WB TW3 WA7 L1600	-25 to +45 °C
910925868420	WT490C 64S/840 PSU WB WA7 L1600	-25 to +45 °C
910925868421	WT490C 80S/840 PSU WB WA7 L1600	-25 to +45 °C
910925868422	WT490C 80S/840 PSD WB WA7 L1600	-25 to +45 °C
910925868423	WT490C 80S/840 PSU WB TW3 WA7 L1600	-25 to +45 °C
910925868692	WT490C 35S/840 PSU WB PI5 L1600	-25 to +45 °C
910925868694	WT490C 35S/840 PSU WB WA7 L1600	-25 to +45 °C
910925869407	WT490C 64S/840 PSU WB TW3x2.5 PI5 L1600	-25 to +45 °C
910925869408	WT490C 80S/840 PSU WB TW3x2.5 PI5 L1600	-25 to +45 °C
910925867703	WT490C 23S/840 PSD WB PI5 L700	-25 to +45 °C
910925868287	WT490C 23S/840 PSU WB PI5 L700	-25 to +45 °C
910925868250	WT490C 64S/840 PSU WB TCW5W5 L1200	-25 to +45 °C
910925868510	WT490C 64S/840 PSU WB W5 L1200	-25 to +45 °C
910925868511	WT490C 80S/840 PSU WB W5 L1200	-25 to +45 °C
910925868512	WT490C 64S/840 PSD WB W5 L1200	-25 to +45 °C
910925868513	WT490C 80S/840 PSD WB W5 L1200	-25 to +45 °C

Controls and Dimming

Order Code	Full Product Name	Dimmable	Order Code	Full Product Name	Dimmable
910925867731	WT490C 80S/840 PSU NB-HRO P15 L1800	No	910925867726	WT490C 80S/840 PSD WB TW3 P17 L1200	Yes
910925867732	WT490C 80S/840 PSD NB-HRO P15 L1800	Yes	910925867727	WT490C 80S/840 PSD WB ELD3 P17 L1200	Yes
910925867733	WT490C 80S/840 PSU WB TW3 P15 L1800	No	910925867728	WT490C 80S/840 PSU VWB P15 L1200	No
910925867734	WT490C 80S/840 PSU WB ELP3 P15 L1800	No	910925867729	WT490C 80S/840 PSD VWB P15 L1200	Yes
910925867735	WT490C 80S/840 PSD WB P15 L1800	Yes	910925867743	WT490C 64S/840 PSU NB-HRO WA7 L1200	No
910925867736	WT490C 80S/840 PSD WB TW3 P17 L1800	Yes	910925867744	WT490C 64S/840 PSD NB-HRO WA7 L1200	Yes
910925867737	WT490C 80S/840 PSD WB ELD3 P17 L1800	Yes	910925868247	WT490C 64S/840 PSU WB WA7 L1200	No
910925867738	WT490C 80S/840 PSU VWB P15 L1800	No	910925868249	WT490C 64S/840 PSU WB TW3 WA7 L1200	No
910925867739	WT490C 80S/840 PSD VWB P15 L1800	Yes	910925868251	WT490C 64S/840 PSU WB ELP3 WA7 L1200	No
910925867740	WT490C 100S/840 PSD WB P15 L1800	Yes	910925868252	WT490C 64S/840 PSD WB WA7 L1200	Yes
910925867741	WT490C 120S/840 PSD WB P15 L1800	Yes	910925868253	WT490C 64S/840 PSD WB TW3 WA7 L1200	Yes
910925868292	WT490C 80S/840 PSU WB P15 L1800	No	910925868254	WT490C 64S/840 PSD WB ELD3 WA7 L1200	Yes
910925868293	WT490C 100S/840 PSU WB P15 L1800	No	910925868255	WT490C 64S/840 PSU VWB WA7 L1200	No
910925868294	WT490C 120S/840 PSU WB P15 L1800	No	910925868256	WT490C 64S/840 PSD VWB WA7 L1200	Yes
910925868516	WT490C 80S/840 SIA WB IA9 P15 L1800	Yes	910925868257	WT490C 80S/840 PSU NB-HRO WA7 L1200	No
910925868697	WT490C 80S/840 PSU O L1800	No	910925868258	WT490C 80S/840 PSD NB-HRO WA7 L1200	Yes
910925868698	WT490C 80S/840 PSU PCO L1800	No	910925868259	WT490C 80S/840 PSU WB WA7 L1200	No
910925868701	WT495C 80S/840 PSU WB P15 L1800	No	910925868260	WT490C 80S/840 PSU WB TW3 WA7 L1200	No
910925868703	WT495C 80S/840 PSD WB P15 L1800	Yes	910925868261	WT490C 80S/840 PSU WB ELP3 WA7 L1200	No
910925868709	WT490C 80S/840 PSU CLII WB WA7 L1800	No	910925868262	WT490C 80S/840 PSD WB WA7 L1200	Yes
910925869405	WT490C 80S/840 PSU WB TW3x2.5 P15 L1800	No	910925868263	WT490C 80S/840 PSD WB TW3 WA7 L1200	Yes
910925869406	WT490C 80S/840 PSD WB TW3x2.5 P17 L1800	Yes	910925868264	WT490C 80S/840 PSD WB ELD3 WA7 L1200	Yes
910925869607	WT490C 150S/840 PSD WB P15 L1800	Yes	910925868265	WT490C 80S/840 PSU VWB WA7L1200	No
910925869611	WT490C 150S/840 PSU WB P15 L1800	No	910925868266	WT490C 80S/840 PSD VWB WA7L1200	Yes
910925868704	WT492C 64S/840 PSU WB W5 L1200	No	910925868288	WT490C 42S/840 PSU WB P15 L1200	No
910925868705	WT492C 80S/840 PSU WB W5 L1800	No	910925868289	WT490C 64S/840 PSU WB P15 L1200	No
910925868706	WT492C 64S/840 PSD WB W5 L1200	Yes	910925868290	WT490C 80S/840 PSU WB P15 L1200	No
910925868707	WT492C 80S/840 PSD WB W5 L1800	Yes	910925868509	WT490C 42S/840 PSD VWB P15 L1200	Yes
910770229590	WT490C 42S/830 PSU WB P15 L1200	No	910925868611	WT490C 42S/840 PSU WB WA7 L1200	No
910925867704	WT490C 42S/840 PSD WB P15 L1200	Yes	910925868612	WT490C 42S/840 PSU VWB WA7 L1200	No
910925867705	WT490C 64S/840 PSU NB-HRO P15 L1200	No	910925868613	WT490C 42S/840 PSU WB TW3 WA7 L1200	No
910925867706	WT490C 64S/840 PSD NB-HRO P15 L1200	Yes	910925868614	WT490C 42S/840 PSU VWB TW3 WA7 L1200	No
910925867707	WT490C 64S/840 PSU WB TW1 P15 L1200	No	910925868615	WT490C 42S/840 PSD WB WA7 L1200	Yes
910925867708	WT490C 64S/840 PSU WB TW3 P15 L1200	No	910925868616	WT490C 42S/840 PSD VWB WA7 L1200	Yes
910925867709	WT490C 64S/840 PSU WB TCW5 P15 L1200	No	910925868617	WT490C 42S/840 PSD WB TW3 WA7 L1200	Yes
910925867710	WT490C 64S/840 PSU WB ELP3 P15 L1200	No	910925868618	WT490C 42S/840 PSD VWB TW3 WA7 L1200	Yes
910925867711	WT490C 64S/840 PSU WB ELP3TW1 P15 L12	No	910925868619	WT490C 64S/840 PSU NB-HRO TW3 WA7 L12	No
910925867712	WT490C 64S/840 PSD WB P15 L1200	Yes	910925868620	WT490C 64S/840 PSD NB-HRO TW3 WA7 L12	Yes
910925867713	WT490C 64S/840 PSD WB TW1 P15 L1200	Yes	910925868621	WT490C 80S/840 PSU NB-HRO TW3 WA7 L12	No
910925867714	WT490C 64S/840 PSD WB TW3 P17 L1200	Yes	910925868622	WT490C 80S/840 PSD NB-HRO TW3 WA7 L12	Yes
910925867715	WT490C 64S/840 PSD WB ELD3P17 L1200	Yes	910925868691	WT490C 35S/840 PSU WB P15 L1200	No
910925867716	WT490C 64S/840 PSD WB ELD3TW1 P17 L12	Yes	910925868693	WT490C 35S/840 PSU WB WA7 L1200	No
910925867717	WT490C 64S/840 PSU VWB P15L1200	No	910925868695	WT490C 64S/840 PSU O L1200	No
910925867718	WT490C 64S/840 PSD VWB P15L1200	Yes	910925868696	WT490C 64S/840 PSU PCO L1200	No
910925867719	WT490C 80S/840 PSU NB-HRO P15 L1200	No	910925868699	WT495C 64S/840 PSU WB P15 L1200	No
910925867720	WT490C 80S/840 PSD NB-HRO P15 L1200	Yes	910925868702	WT495C 64S/840 PSD WB P15 L1200	Yes
910925867721	WT490C 80S/840 PSU WB TW1 P15 L1200	No	910925868708	WT490C 64S/840 PSU CLII WB WA7 L1200	No
910925867722	WT490C 80S/840 PSU WB TW3 P15 L1200	No	910925869401	WT490C 64S/840 PSU WB TW3x2.5 P15 L1200	No
910925867723	WT490C 80S/840 PSU WB ELP3 P15 L1200	No	910925869402	WT490C 64S/840 PSU WB ELP3 TW1x2.5 P15 L	No
910925867724	WT490C 80S/840 PSD WB P15 L1200	Yes	910925869403	WT490C 80S/840 PSU WB TW3x2.5 P15 L1200	No
910925867725	WT490C 80S/840 PSD WB TW1 P15 L1200	Yes	910925869404	WT490C 80S/840 PSD WB TW3x2.5 P17 L1200	Yes

Pacific LED Gen5

Order Code	Full Product Name	Dimmable
910925869410	WT490C 42S/840 PSU WB TW3x2.5 PI5 L1200	No
910925869606	WT490C 100S/840 PSD WB PI5 L1200	Yes
910925869608	WT490C 100S/840 PSU WB WA7 L1200	No
910925869609	WT490C 100S/840 PSD WB WA7 L1200	Yes
910925869610	WT490C 100S/840 PSU WB PI5 L1200	No
910925868412	WT490C 64S/840 PSD WB PI5 L1600	Yes
910925868413	WT490C 64S/840 PSU WB TW3 PI5 L1600	No
910925868414	WT490C 64S/840 PSU WB PI5 L1600	No
910925868415	WT490C 80S/840 PSU WB PI5 L1600	No
910925868416	WT490C 80S/840 PSD WB PI5 L1600	Yes
910925868417	WT490C 80S/840 PSU WB TW3 PI5 L1600	No
910925868418	WT490C 64S/840 PSD WB WA7 L1600	Yes
910925868419	WT490C 64S/840 PSU WB TW3 WA7 L1600	No
910925868420	WT490C 64S/840 PSU WB WA7 L1600	No

Order Code	Full Product Name	Dimmable
910925868421	WT490C 80S/840 PSU WB WA7 L1600	No
910925868422	WT490C 80S/840 PSD WB WA7 L1600	Yes
910925868423	WT490C 80S/840 PSU WB TW3 WA7 L1600	No
910925868692	WT490C 35S/840 PSU WB PI5 L1600	No
910925868694	WT490C 35S/840 PSU WB WA7 L1600	No
910925869407	WT490C 64S/840 PSU WB TW3x2.5 PI5 L1600	No
910925869408	WT490C 80S/840 PSU WB TW3x2.5 PI5 L1600	No
910925867703	WT490C 23S/840 PSD WB PI5 L700	Yes
910925868287	WT490C 23S/840 PSU WB PI5 L700	No
910925868250	WT490C 64S/840 PSU WB TCW5W5 L1200	No
910925868510	WT490C 64S/840 PSU WB W5 L1200	No
910925868511	WT490C 80S/840 PSU WB W5 L1200	No
910925868512	WT490C 64S/840 PSD WB W5 L1200	Yes
910925868513	WT490C 80S/840 PSD WB W5 L1200	Yes

Emergency Operation

Order Code	Full Product Name	Emergency lighting	Rated duration of the emergency lighting (when fully charged)
910925867731	WT490C 80S/840 PSU NB-HRO PI5 L1800	-	-
910925867732	WT490C 80S/840 PSD NB-HRO PI5 L1800	-	-
910925867733	WT490C 80S/840 PSU WB TW3 PI5 L1800	-	-
910925867734	WT490C 80S/840 PSU WB ELP3 PI5 L1800	Emergency lighting 3 hours duration Pro version	3 hour(s)
910925867735	WT490C 80S/840 PSD WB PI5 L1800	-	-
910925867736	WT490C 80S/840 PSD WB TW3 PI7 L1800	-	-
910925867737	WT490C 80S/840 PSD WB ELD3 PI7 L1800	Emergency lighting 3 hours duration with DALI interface	3 hour(s)
910925867738	WT490C 80S/840 PSU VWB PI5 L1800	-	-
910925867739	WT490C 80S/840 PSD VWB PI5 L1800	-	-
910925867740	WT490C 100S/840 PSD WB PI5 L1800	-	-
910925867741	WT490C 120S/840 PSD WB PI5 L1800	-	-
910925868292	WT490C 80S/840 PSU WB PI5 L1800	-	-
910925868293	WT490C 100S/840 PSU WB PI5 L1800	-	-

Order Code	Full Product Name	Emergency lighting	Rated duration of the emergency lighting (when fully charged)
910925868294	WT490C 120S/840 PSU WB PI5 L1800	-	-
910925868516	WT490C 80S/840 SIA WB IA9 PI5 L1800	-	-
910925868697	WT490C 80S/840 PSU O L1800	-	-
910925868698	WT490C 80S/840 PSU PCO L1800	-	-
910925868701	WT495C 80S/840 PSU WB PI5 L1800	-	-
910925868703	WT495C 80S/840 PSD WB PI5 L1800	-	-
910925868709	WT490C 80S/840 PSU CLII WB WA7 L1800	-	-
910925869405	WT490C 80S/840 PSU WB TW3x2.5 PI5 L1800	-	-
910925869406	WT490C 80S/840 PSD WB TW3x2.5 PI7 L1800	-	-
910925869607	WT490C 150S/840 PSD WB PI5 L1800	-	-
910925869611	WT490C 150S/840 PSU WB PI5 L1800	-	-
910925868704	WT492C 64S/840 PSU WB W5 L1200	-	-
910925868705	WT492C 80S/840 PSU WB W5 L1800	-	-
910925868706	WT492C 64S/840 PSD WB W5 L1200	-	-
910925868707	WT492C 80S/840 PSD WB W5 L1800	-	-
910770229590	WT490C 42S/830 PSU WB PI5 L1200	-	-

Pacific LED Gen5

Order Code	Full Product Name	Emergency lighting	Rated duration of the emergency lighting (when fully charged)
910925867704	WT490C 42S/840 PSD WB PI5 L1200	-	-
910925867705	WT490C 64S/840 PSU NB-HRO PI5 L1200	-	-
910925867706	WT490C 64S/840 PSD NB-HRO PI5 L1200	-	-
910925867707	WT490C 64S/840 PSU WB TW1 PI5 L1200	-	-
910925867708	WT490C 64S/840 PSU WB TW3 PI5 L1200	-	-
910925867709	WT490C 64S/840 PSU WB TCW5 PI5 L1200	-	-
910925867710	WT490C 64S/840 PSU WB ELP3 PI5 L1200	Emergency lighting 3 hours duration Pro version	3 hour(s)
910925867711	WT490C 64S/840 PSU WB ELP3TW1 PI5 L12	Emergency lighting 3 hours duration Pro version	3 hour(s)
910925867712	WT490C 64S/840 PSD WB PI5 L1200	-	-
910925867713	WT490C 64S/840 PSD WB TW1 PI5 L1200	-	-
910925867714	WT490C 64S/840 PSD WB TW3 PI7 L1200	-	-
910925867715	WT490C 64S/840 PSD WB ELD3PI7 L1200	Emergency lighting 3 hours duration with DALI interface	3 hour(s)
910925867716	WT490C 64S/840 PSD WB ELD3TW1 PI7 L12	Emergency lighting 3 hours duration with DALI interface	3 hour(s)
910925867717	WT490C 64S/840 PSU VWB PI5L1200	-	-
910925867718	WT490C 64S/840 PSD VWB PI5L1200	-	-
910925867719	WT490C 80S/840 PSU NB-HRO PI5 L1200	-	-
910925867720	WT490C 80S/840 PSD NB-HRO PI5 L1200	-	-
910925867721	WT490C 80S/840 PSU WB TW1 PI5 L1200	-	-
910925867722	WT490C 80S/840 PSU WB TW3 PI5 L1200	-	-
910925867723	WT490C 80S/840 PSU WB ELP3 PI5 L1200	Emergency lighting 3 hours	3 hour(s)

Order Code	Full Product Name	Emergency lighting	Rated duration of the emergency lighting (when fully charged)
		duration Pro version	
910925867724	WT490C 80S/840 PSD WB PI5 L1200	-	-
910925867725	WT490C 80S/840 PSD WB TW1 PI5 L1200	-	-
910925867726	WT490C 80S/840 PSD WB TW3 PI7 L1200	-	-
910925867727	WT490C 80S/840 PSD WB ELD3 PI7 L1200	Emergency lighting 3 hours duration with DALI interface	3 hour(s)
910925867728	WT490C 80S/840 PSU VWB PI5 L1200	-	-
910925867729	WT490C 80S/840 PSD VWB PI5 L1200	-	-
910925867743	WT490C 64S/840 PSU NB-HRO WA7 L1200	-	-
910925867744	WT490C 64S/840 PSD NB-HRO WA7 L1200	-	-
910925868247	WT490C 64S/840 PSU WB WA7 L1200	-	-
910925868249	WT490C 64S/840 PSU WB TW3 WA7 L1200	-	-
910925868251	WT490C 64S/840 PSU WB ELP3 WA7 L1200	Emergency lighting 3 hours duration Pro version	3 hour(s)
910925868252	WT490C 64S/840 PSD WB WA7 L1200	-	-
910925868253	WT490C 64S/840 PSD WB TW3 WA7 L1200	-	-
910925868254	WT490C 64S/840 PSD WB ELD3 WA7 L1200	Emergency lighting 3 hours duration with DALI interface	3 hour(s)
910925868255	WT490C 64S/840 PSU VWB WA7 L1200	-	-
910925868256	WT490C 64S/840 PSD VWB WA7 L1200	-	-
910925868257	WT490C 80S/840 PSU NB-HRO WA7 L1200	-	-
910925868258	WT490C 80S/840 PSD NB-HRO WA7 L1200	-	-
910925868259	WT490C 80S/840 PSU WB WA7 L1200	-	-
910925868260	WT490C 80S/840 PSU WB TW3 WA7 L1200	-	-

Pacific LED Gen5

Order Code	Full Product Name	Emergency lighting	Rated duration of the emergency lighting (when fully charged)
910925868261	WT490C 80S/840 PSU WB ELP3 WA7 L1200	Emergency lighting 3 hours duration Pro version	3 hour(s)
910925868262	WT490C 80S/840 PSD WB WA7 L1200	-	-
910925868263	WT490C 80S/840 PSD WB TW3 WA7 L1200	-	-
910925868264	WT490C 80S/840 PSD WB ELD3 WA7 L1200	Emergency lighting 3 hours duration with DALI interface	3 hour(s)
910925868265	WT490C 80S/840 PSU VWB WA7L1200	-	-
910925868266	WT490C 80S/840 PSD VWB WA7L1200	-	-
910925868288	WT490C 42S/840 PSU WB PI5 L1200	-	-
910925868289	WT490C 64S/840 PSU WB PI5 L1200	-	-
910925868290	WT490C 80S/840 PSU WB PI5 L1200	-	-
910925868509	WT490C 42S/840 PSD VWB PI5 L1200	-	-
910925868611	WT490C 42S/840 PSU WB WA7 L1200	-	-
910925868612	WT490C 42S/840 PSU VWB WA7 L1200	-	-
910925868613	WT490C 42S/840 PSU WB TW3 WA7 L1200	-	-
910925868614	WT490C 42S/840 PSU VWB TW3 WA7 L1200	-	-
910925868615	WT490C 42S/840 PSD WB WA7 L1200	-	-
910925868616	WT490C 42S/840 PSD VWB WA7 L1200	-	-
910925868617	WT490C 42S/840 PSD WB TW3 WA7 L1200	-	-
910925868618	WT490C 42S/840 PSD VWB TW3 WA7 L1200	-	-
910925868619	WT490C 64S/840 PSU NB-HRO TW3 WA7 L12	-	-
910925868620	WT490C 64S/840 PSD NB-HRO TW3 WA7 L12	-	-
910925868621	WT490C 80S/840 PSU NB-HRO TW3 WA7 L12	-	-
910925868622	WT490C 80S/840 PSD NB-HRO TW3 WA7 L12	-	-

Order Code	Full Product Name	Emergency lighting	Rated duration of the emergency lighting (when fully charged)
910925868691	WT490C 35S/840 PSU WB PI5 L1200	-	-
910925868693	WT490C 35S/840 PSU WB WA7 L1200	-	-
910925868695	WT490C 64S/840 PSU O L1200	-	-
910925868696	WT490C 64S/840 PSU PCO L1200	-	-
910925868699	WT495C 64S/840 PSU WB PI5 L1200	-	-
910925868702	WT495C 64S/840 PSD WB PI5 L1200	-	-
910925868708	WT490C 64S/840 PSU CLII WB WA7 L1200	-	-
910925869401	WT490C 64S/840 PSU WB TW3x2.5 PI5 L1200	-	-
910925869402	WT490C 64S/840 PSU WB ELP3 TW1x2.5 PI5 L	Emergency lighting 3 hours duration Pro version	3 hour(s)
910925869403	WT490C 80S/840 PSU WB TW3x2.5 PI5 L1200	-	-
910925869404	WT490C 80S/840 PSD WB TW3x2.5 PI7 L1200	-	-
910925869410	WT490C 42S/840 PSU WB TW3x2.5 PI5 L1200	-	-
91092586960	WT490C 100S/840 PSD WB PI5 L1200	-	-
91092586960	WT490C 100S/840 PSU WB WA7 L1200	-	-
91092586960	WT490C 100S/840 PSD WB WA7 L1200	-	-
910925869610	WT490C 100S/840 PSU WB PI5 L1200	-	-
910925868412	WT490C 64S/840 PSD WB PI5 L1600	-	-
910925868413	WT490C 64S/840 PSU WB TW3 PI5 L1600	-	-
910925868414	WT490C 64S/840 PSU WB PI5 L1600	-	-
910925868415	WT490C 80S/840 PSU WB PI5 L1600	-	-
910925868416	WT490C 80S/840 PSD WB PI5 L1600	-	-
910925868417	WT490C 80S/840 PSU WB TW3 PI5 L1600	-	-
910925868418	WT490C 64S/840 PSD WB WA7 L1600	-	-
910925868419	WT490C 64S/840 PSU WB TW3 WA7 L1600	-	-

Pacific LED Gen5

Order Code	Full Product Name	Emergency lighting	Rated duration of the emergency lighting (when fully charged)
910925868420	WT490C 64S/840 PSU WB WA7 L1600	-	-
910925868421	WT490C 80S/840 PSU WB WA7 L1600	-	-
910925868422	WT490C 80S/840 PSD WB WA7 L1600	-	-
910925868423	WT490C 80S/840 PSU WB TW3 WA7 L1600	-	-
910925868692	WT490C 35S/840 PSU WB PI5 L1600	-	-
910925868694	WT490C 35S/840 PSU WB WA7 L1600	-	-
910925869407	WT490C 64S/840 PSU WB TW3x2.5 PI5 L1600	-	-
910925869408	WT490C 80S/840 PSU WB TW3x2.5 PI5 L1600	-	-

Order Code	Full Product Name	Emergency lighting	Rated duration of the emergency lighting (when fully charged)
910925867703	WT490C 23S/840 PSD WB PI5 L700	-	-
910925868287	WT490C 23S/840 PSU WB PI5 L700	-	-
910925868250	WT490C 64S/840 PSU WB TCW5W5 L1200	-	-
910925868510	WT490C 64S/840 PSU WB W5 L1200	-	-
910925868511	WT490C 80S/840 PSU WB W5 L1200	-	-
910925868512	WT490C 64S/840 PSD WB W5 L1200	-	-
910925868513	WT490C 80S/840 PSD WB W5 L1200	-	-

Approval and Application

Order Code	Full Product Name	Protection class IEC
910925867731	WT490C 80S/840 PSU NB-HRO PI5 L1800	Safety class I
910925867732	WT490C 80S/840 PSD NB-HRO PI5 L1800	Safety class I
910925867733	WT490C 80S/840 PSU WB TW3 PI5 L1800	Safety class I
910925867734	WT490C 80S/840 PSU WB ELP3 PI5 L1800	Safety class I
910925867735	WT490C 80S/840 PSD WB PI5 L1800	Safety class I
910925867736	WT490C 80S/840 PSD WB TW3 PI7 L1800	Safety class I
910925867737	WT490C 80S/840 PSD WB ELD3 PI7 L1800	Safety class I
910925867738	WT490C 80S/840 PSU VWB PI5 L1800	Safety class I
910925867739	WT490C 80S/840 PSD VWB PI5 L1800	Safety class I
910925867740	WT490C 100S/840 PSD WB PI5 L1800	Safety class I
910925867741	WT490C 120S/840 PSD WB PI5 L1800	Safety class I
910925868292	WT490C 80S/840 PSU WB PI5 L1800	Safety class I
910925868293	WT490C 100S/840 PSU WB PI5 L1800	Safety class I
910925868294	WT490C 120S/840 PSU WB PI5 L1800	Safety class I
910925868516	WT490C 80S/840 SIA WB IA9 PI5 L1800	Safety class I
910925868697	WT490C 80S/840 PSU O L1800	Safety class I
910925868698	WT490C 80S/840 PSU PCO L1800	Safety class I
910925868701	WT495C 80S/840 PSU WB PI5 L1800	Safety class I
910925868703	WT495C 80S/840 PSD WB PI5 L1800	Safety class I
910925868709	WT490C 80S/840 PSU CLII WB WA7 L1800	Safety class II
910925869405	WT490C 80S/840 PSU WB TW3x2.5 PI5 L1800	Safety class I
910925869406	WT490C 80S/840 PSD WB TW3x2.5 PI7 L1800	Safety class I
910925869607	WT490C 150S/840 PSD WB PI5 L1800	Safety class I
910925869611	WT490C 150S/840 PSU WB PI5 L1800	Safety class I
910925868704	WT492C 64S/840 PSU WB W5 L1200	Safety class I
910925868705	WT492C 80S/840 PSU WB W5 L1800	Safety class I
910925868706	WT492C 64S/840 PSD WB W5 L1200	Safety class I
910925868707	WT492C 80S/840 PSD WB W5 L1800	Safety class I

Order Code	Full Product Name	Protection class IEC
910770229590	WT490C 42S/830 PSU WB PI5 L1200	Safety class I
910925867704	WT490C 42S/840 PSD WB PI5 L1200	Safety class I
910925867705	WT490C 64S/840 PSU NB-HRO PI5 L1200	Safety class I
910925867706	WT490C 64S/840 PSD NB-HRO PI5 L1200	Safety class I
910925867707	WT490C 64S/840 PSU WB TW1 PI5 L1200	Safety class I
910925867708	WT490C 64S/840 PSU WB TW3 PI5 L1200	Safety class I
910925867709	WT490C 64S/840 PSU WB TCW5 PI5 L1200	Safety class I
910925867710	WT490C 64S/840 PSU WB ELP3 PI5 L1200	Safety class I
910925867711	WT490C 64S/840 PSU WB ELP3TW1 PI5 L12	Safety class I
910925867712	WT490C 64S/840 PSD WB PI5 L1200	Safety class I
910925867713	WT490C 64S/840 PSD WB TW1 PI5 L1200	Safety class I
910925867714	WT490C 64S/840 PSD WB TW3 PI7 L1200	Safety class I
910925867715	WT490C 64S/840 PSD WB ELD3PI7 L1200	Safety class I
910925867716	WT490C 64S/840 PSD WB ELD3TW1 PI7 L12	Safety class I
910925867717	WT490C 64S/840 PSU VWB PI5L1200	Safety class I
910925867718	WT490C 64S/840 PSD VWB PI5L1200	Safety class I
910925867719	WT490C 80S/840 PSU NB-HRO PI5 L1200	Safety class I
910925867720	WT490C 80S/840 PSD NB-HRO PI5 L1200	Safety class I
910925867721	WT490C 80S/840 PSU WB TW1 PI5 L1200	Safety class I
910925867722	WT490C 80S/840 PSU WB TW3 PI5 L1200	Safety class I
910925867723	WT490C 80S/840 PSU WB ELP3 PI5 L1200	Safety class I
910925867724	WT490C 80S/840 PSD WB PI5 L1200	Safety class I
910925867725	WT490C 80S/840 PSD WB TW1 PI5 L1200	Safety class I
910925867726	WT490C 80S/840 PSD WB TW3 PI7 L1200	Safety class I
910925867727	WT490C 80S/840 PSD WB ELD3 PI7 L1200	Safety class I
910925867728	WT490C 80S/840 PSU VWB PI5 L1200	Safety class I
910925867729	WT490C 80S/840 PSD VWB PI5 L1200	Safety class I
910925867743	WT490C 64S/840 PSU NB-HRO WA7 L1200	Safety class I

Pacific LED Gen5

Order Code	Full Product Name	Protection class IEC
910925867744	WT490C 64S/840 PSD NB-HRO WA7 L1200	Safety class I
910925868247	WT490C 64S/840 PSU WB WA7 L1200	Safety class I
910925868249	WT490C 64S/840 PSU WB TW3 WA7 L1200	Safety class I
910925868251	WT490C 64S/840 PSU WB ELP3 WA7 L1200	Safety class I
910925868252	WT490C 64S/840 PSD WB WA7 L1200	Safety class I
910925868253	WT490C 64S/840 PSD WB TW3 WA7 L1200	Safety class I
910925868254	WT490C 64S/840 PSD WB ELD3 WA7 L1200	Safety class I
910925868255	WT490C 64S/840 PSU VWB WA7 L1200	Safety class I
910925868256	WT490C 64S/840 PSD VWB WA7 L1200	Safety class I
910925868257	WT490C 80S/840 PSU NB-HRO WA7 L1200	Safety class I
910925868258	WT490C 80S/840 PSD NB-HRO WA7 L1200	Safety class I
910925868259	WT490C 80S/840 PSU WB WA7 L1200	Safety class I
910925868260	WT490C 80S/840 PSU WB TW3 WA7 L1200	Safety class I
910925868261	WT490C 80S/840 PSU WB ELP3 WA7 L1200	Safety class I
910925868262	WT490C 80S/840 PSD WB WA7 L1200	Safety class I
910925868263	WT490C 80S/840 PSD WB TW3 WA7 L1200	Safety class I
910925868264	WT490C 80S/840 PSD WB ELD3 WA7 L1200	Safety class I
910925868265	WT490C 80S/840 PSU VWB WA7L1200	Safety class I
910925868266	WT490C 80S/840 PSD VWB WA7L1200	Safety class I
910925868288	WT490C 42S/840 PSU WB PI5 L1200	Safety class I
910925868289	WT490C 64S/840 PSU WB PI5 L1200	Safety class I
910925868290	WT490C 80S/840 PSU WB PI5 L1200	Safety class I
910925868509	WT490C 42S/840 PSD VWB PI5 L1200	Safety class I
910925868611	WT490C 42S/840 PSU WB WA7 L1200	Safety class I
910925868612	WT490C 42S/840 PSU VWB WA7 L1200	Safety class I
910925868613	WT490C 42S/840 PSU WB TW3 WA7 L1200	Safety class I
910925868614	WT490C 42S/840 PSU VWB TW3 WA7 L1200	Safety class I
910925868615	WT490C 42S/840 PSD WB WA7 L1200	Safety class I
910925868616	WT490C 42S/840 PSD VWB WA7 L1200	Safety class I
910925868617	WT490C 42S/840 PSD WB TW3 WA7 L1200	Safety class I
910925868618	WT490C 42S/840 PSD VWB TW3 WA7 L1200	Safety class I
910925868619	WT490C 64S/840 PSU NB-HRO TW3 WA7 L12	Safety class I
910925868620	WT490C 64S/840 PSD NB-HRO TW3 WA7 L12	Safety class I
910925868621	WT490C 80S/840 PSU NB-HRO TW3 WA7 L12	Safety class I
910925868622	WT490C 80S/840 PSD NB-HRO TW3 WA7 L12	Safety class I
910925868691	WT490C 35S/840 PSU WB PI5 L1200	Safety class I
910925868693	WT490C 35S/840 PSU WB WA7 L1200	Safety class I

Order Code	Full Product Name	Protection class IEC
910925868695	WT490C 64S/840 PSU O L1200	Safety class I
910925868696	WT490C 64S/840 PSU PCO L1200	Safety class I
910925868699	WT495C 64S/840 PSU WB PI5 L1200	Safety class I
910925868702	WT495C 64S/840 PSD WB PI5 L1200	Safety class I
910925868708	WT490C 64S/840 PSU CLII WB WA7 L1200	Safety class II
910925869401	WT490C 64S/840 PSU WB TW3x2.5 PI5 L1200	Safety class I
910925869402	WT490C 64S/840 PSU WB ELP3 TW1x2.5 PI5 L	Safety class I
910925869403	WT490C 80S/840 PSU WB TW3x2.5 PI5 L1200	Safety class I
910925869404	WT490C 80S/840 PSD WB TW3x2.5 PI7 L1200	Safety class I
910925869410	WT490C 42S/840 PSU WB TW3x2.5 PI5 L1200	Safety class I
910925869606	WT490C 100S/840 PSD WB PI5 L1200	Safety class I
910925869608	WT490C 100S/840 PSU WB WA7 L1200	Safety class I
910925869609	WT490C 100S/840 PSD WB WA7 L1200	Safety class I
910925869610	WT490C 100S/840 PSU WB PI5 L1200	Safety class I
910925868412	WT490C 64S/840 PSD WB PI5 L1600	Safety class I
910925868413	WT490C 64S/840 PSU WB TW3 PI5 L1600	Safety class I
910925868414	WT490C 64S/840 PSU WB PI5 L1600	Safety class I
910925868415	WT490C 80S/840 PSU WB PI5 L1600	Safety class I
910925868416	WT490C 80S/840 PSD WB PI5 L1600	Safety class I
910925868417	WT490C 80S/840 PSU WB TW3 PI5 L1600	Safety class I
910925868418	WT490C 64S/840 PSD WB WA7 L1600	Safety class I
910925868419	WT490C 64S/840 PSU WB TW3 WA7 L1600	Safety class I
910925868420	WT490C 64S/840 PSU WB WA7 L1600	Safety class I
910925868421	WT490C 80S/840 PSU WB WA7 L1600	Safety class I
910925868422	WT490C 80S/840 PSD WB WA7 L1600	Safety class I
910925868423	WT490C 80S/840 PSU WB TW3 WA7 L1600	Safety class I
910925868692	WT490C 35S/840 PSU WB PI5 L1600	Safety class I
910925868694	WT490C 35S/840 PSU WB WA7 L1600	Safety class I
910925869407	WT490C 64S/840 PSU WB TW3x2.5 PI5 L1600	Safety class I
910925869408	WT490C 80S/840 PSU WB TW3x2.5 PI5 L1600	Safety class I
910925867703	WT490C 23S/840 PSD WB PI5 L700	Safety class I
910925868287	WT490C 23S/840 PSU WB PI5 L700	Safety class I
910925868250	WT490C 64S/840 PSU WB TCW5W5 L1200	Safety class I
910925868510	WT490C 64S/840 PSU WB W5 L1200	Safety class I
910925868511	WT490C 80S/840 PSU WB W5 L1200	Safety class I
910925868512	WT490C 64S/840 PSD WB W5 L1200	Safety class I
910925868513	WT490C 80S/840 PSD WB W5 L1200	Safety class I

Initial Performance (IEC Compliant)

Order Code	Full Product Name	Initial chromaticity
910925867731	WT490C 80S/840 PSU NB-HRO PI5 L1800	(0.38, 0.38) SDCM <3
910925867732	WT490C 80S/840 PSD NB-HRO PI5 L1800	(0.38, 0.38) SDCM <3
910925867733	WT490C 80S/840 PSU WB TW3 PI5 L1800	(0.38, 0.38) SDCM <3
910925867734	WT490C 80S/840 PSU WB ELP3 PI5 L1800	(0.38, 0.38) SDCM <3
910925867735	WT490C 80S/840 PSD WB PI5 L1800	(0.38, 0.38) SDCM <3
910925867736	WT490C 80S/840 PSD WB TW3 PI7 L1800	(0.38, 0.38) SDCM <3
910925867737	WT490C 80S/840 PSD WB ELD3 PI7 L1800	(0.38, 0.38) SDCM <3
910925867738	WT490C 80S/840 PSU VWB PI5 L1800	(0.38, 0.38) SDCM <3
910925867739	WT490C 80S/840 PSD VWB PI5 L1800	(0.38, 0.38) SDCM <3
910925867740	WT490C 100S/840 PSD WB PI5 L1800	(0.38, 0.38) SDCM <3
910925867741	WT490C 120S/840 PSD WB PI5 L1800	(0.38, 0.38) SDCM <3

Order Code	Full Product Name	Initial chromaticity
910925868292	WT490C 80S/840 PSU WB PI5 L1800	(0.38, 0.38) SDCM <3
910925868293	WT490C 100S/840 PSU WB PI5 L1800	(0.38, 0.38) SDCM <3
910925868294	WT490C 120S/840 PSU WB PI5 L1800	(0.38, 0.38) SDCM <3
910925868516	WT490C 80S/840 SIA WB IA9 PI5 L1800	(0.38, 0.38) SDCM <3
910925868697	WT490C 80S/840 PSU O L1800	(0.38, 0.38) SDCM <3
910925868698	WT490C 80S/840 PSU PCO L1800	(0.38, 0.38) SDCM <3
910925868701	WT495C 80S/840 PSU WB PI5 L1800	(0.38, 0.38) SDCM <3
910925868703	WT495C 80S/840 PSD WB PI5 L1800	(0.38, 0.38) SDCM <3
910925868709	WT490C 80S/840 PSU CLII WB WA7 L1800	(0.38, 0.38) SDCM <3
910925869405	WT490C 80S/840 PSU WB TW3x2.5 PI5 L1800	(0.38, 0.38) SDCM <3
910925869406	WT490C 80S/840 PSD WB TW3x2.5 PI7 L1800	(0.38, 0.38) SDCM <3

Pacific LED Gen5

Order Code	Full Product Name	Initial chromaticity	Order Code	Full Product Name	Initial chromaticity
910925869607	WT490C 150S/840 PSD WB PI5 L1800	(0.38, 0.38) SDCM <3	910925868266	WT490C 80S/840 PSD VWB WA7L1200	(0.38, 0.38) SDCM <3
910925869611	WT490C 150S/840 PSU WB PI5 L1800	(0.38, 0.38) SDCM <3	910925868288	WT490C 42S/840 PSU WB PI5 L1200	(0.38, 0.38) SDCM <3
910925868704	WT492C 64S/840 PSU WB W5 L1200	(0.38, 0.38) SDCM <3	910925868289	WT490C 64S/840 PSU WB PI5 L1200	(0.38, 0.38) SDCM <3
910925868705	WT492C 80S/840 PSU WB W5 L1800	(0.38, 0.38) SDCM <3	910925868290	WT490C 80S/840 PSU WB PI5 L1200	(0.38, 0.38) SDCM <3
910925868706	WT492C 64S/840 PSD WB W5 L1200	(0.38, 0.38) SDCM <3	910925868509	WT490C 42S/840 PSD VWB PI5 L1200	(0.38, 0.38) SDCM <3
910925868707	WT492C 80S/840 PSD WB W5 L1800	(0.38, 0.38) SDCM <3	910925868611	WT490C 42S/840 PSU WB WA7 L1200	(0.38, 0.38) SDCM <3
910770229590	WT490C 42S/830 PSU WB PI5 L1200	(0.43, 0.40) SDCM <3	910925868612	WT490C 42S/840 PSU VWB WA7 L1200	(0.38, 0.38) SDCM <3
910925867704	WT490C 42S/840 PSD WB PI5 L1200	(0.38, 0.38) SDCM <3	910925868613	WT490C 42S/840 PSU WB TW3 WA7 L1200	(0.38, 0.38) SDCM <3
910925867705	WT490C 64S/840 PSU NB-HRO PI5 L1200	(0.38, 0.38) SDCM <3	910925868614	WT490C 42S/840 PSU VWB TW3 WA7 L1200	(0.38, 0.38) SDCM <3
910925867706	WT490C 64S/840 PSD NB-HRO PI5 L1200	(0.38, 0.38) SDCM <3	910925868615	WT490C 42S/840 PSD WB WA7 L1200	(0.38, 0.38) SDCM <3
910925867707	WT490C 64S/840 PSU WB TW1 PI5 L1200	(0.38, 0.38) SDCM <3	910925868616	WT490C 42S/840 PSD VWB WA7 L1200	(0.38, 0.38) SDCM <3
910925867708	WT490C 64S/840 PSU WB TW3 PI5 L1200	(0.38, 0.38) SDCM <3	910925868617	WT490C 42S/840 PSD WB TW3 WA7 L1200	(0.38, 0.38) SDCM <3
910925867709	WT490C 64S/840 PSU WB TCW5 PI5 L1200	(0.38, 0.38) SDCM <3	910925868618	WT490C 42S/840 PSD VWB TW3 WA7 L1200	(0.38, 0.38) SDCM <3
910925867710	WT490C 64S/840 PSU WB ELP3 PI5 L1200	(0.38, 0.38) SDCM <3	910925868619	WT490C 64S/840 PSU NB-HRO TW3 WA7 L12	(0.38, 0.38) SDCM <3
910925867711	WT490C 64S/840 PSU WB ELP3TW1 PI5 L12	(0.38, 0.38) SDCM <3	910925868620	WT490C 64S/840 PSD NB-HRO TW3 WA7 L12	(0.38, 0.38) SDCM <3
910925867712	WT490C 64S/840 PSD WB PI5 L1200	(0.38, 0.38) SDCM <3	910925868621	WT490C 80S/840 PSU NB-HRO TW3 WA7 L12	(0.38, 0.38) SDCM <3
910925867713	WT490C 64S/840 PSD WB TW1 PI5 L1200	(0.38, 0.38) SDCM <3	910925868622	WT490C 80S/840 PSD NB-HRO TW3 WA7 L12	(0.38, 0.38) SDCM <3
910925867714	WT490C 64S/840 PSD WB TW3 PI7 L1200	(0.38, 0.38) SDCM <3	910925868691	WT490C 35S/840 PSU WB PI5 L1200	(0.38, 0.38) SDCM <3
910925867715	WT490C 64S/840 PSD WB ELD3PI7 L1200	(0.38, 0.38) SDCM <3	910925868693	WT490C 35S/840 PSU WB WA7 L1200	(0.38, 0.38) SDCM <3
910925867716	WT490C 64S/840 PSD WB ELD3TW1 PI7 L12	(0.38, 0.38) SDCM <3	910925868695	WT490C 64S/840 PSU O L1200	(0.38, 0.38) SDCM <3
910925867717	WT490C 64S/840 PSU VWB PI5L1200	(0.38, 0.38) SDCM <3	910925868696	WT490C 64S/840 PSU PCO L1200	(0.38, 0.38) SDCM <3
910925867718	WT490C 64S/840 PSD VWB PI5L1200	(0.38, 0.38) SDCM <3	910925868699	WT495C 64S/840 PSU WB PI5 L1200	(0.38, 0.38) SDCM <3
910925867719	WT490C 80S/840 PSU NB-HRO PI5 L1200	(0.38, 0.38) SDCM <3	910925868702	WT495C 64S/840 PSD WB PI5 L1200	(0.38, 0.38) SDCM <3
910925867720	WT490C 80S/840 PSD NB-HRO PI5 L1200	(0.38, 0.38) SDCM <3	910925868708	WT490C 64S/840 PSU CLII WB WA7 L1200	(0.38, 0.38) SDCM <3
910925867721	WT490C 80S/840 PSU WB TW1 PI5 L1200	(0.38, 0.38) SDCM <3	910925869401	WT490C 64S/840 PSU WB TW3x2.5 PI5 L1200	(0.38, 0.38) SDCM <3
910925867722	WT490C 80S/840 PSU WB TW3 PI5 L1200	(0.38, 0.38) SDCM <3	910925869402	WT490C 64S/840 PSU WB ELP3 TW1x2.5 PI5 L	(0.38, 0.38) SDCM <3
910925867723	WT490C 80S/840 PSU WB ELP3 PI5 L1200	(0.38, 0.38) SDCM <3	910925869403	WT490C 80S/840 PSU WB TW3x2.5 PI5 L1200	(0.38, 0.38) SDCM <3
910925867724	WT490C 80S/840 PSD WB PI5 L1200	(0.38, 0.38) SDCM <3	910925869404	WT490C 80S/840 PSD WB TW3x2.5 PI7 L1200	(0.38, 0.38) SDCM <3
910925867725	WT490C 80S/840 PSD WB TW1 PI5 L1200	(0.38, 0.38) SDCM <3	910925869410	WT490C 42S/840 PSU WB TW3x2.5 PI5 L1200	(0.38, 0.38) SDCM <3
910925867726	WT490C 80S/840 PSD WB TW3 PI7 L1200	(0.38, 0.38) SDCM <3	910925869606	WT490C 100S/840 PSD WB PI5 L1200	(0.38, 0.38) SDCM <3
910925867727	WT490C 80S/840 PSD WB ELD3 PI7 L1200	(0.38, 0.38) SDCM <3	910925869608	WT490C 100S/840 PSU WB WA7 L1200	(0.38, 0.38) SDCM <3
910925867728	WT490C 80S/840 PSU VWB PI5 L1200	(0.38, 0.38) SDCM <3	910925869609	WT490C 100S/840 PSD WB WA7 L1200	(0.38, 0.38) SDCM <3
910925867729	WT490C 80S/840 PSD VWB PI5 L1200	(0.38, 0.38) SDCM <3	910925869610	WT490C 100S/840 PSU WB PI5 L1200	(0.38, 0.38) SDCM <3
910925867743	WT490C 64S/840 PSU NB-HRO WA7 L1200	(0.38, 0.38) SDCM <3	910925868412	WT490C 64S/840 PSD WB PI5 L1600	(0.38, 0.38) SDCM <3
910925867744	WT490C 64S/840 PSD NB-HRO WA7 L1200	(0.38, 0.38) SDCM <3	910925868413	WT490C 64S/840 PSU WB TW3 PI5 L1600	(0.38, 0.38) SDCM <3
910925868247	WT490C 64S/840 PSU WB WA7 L1200	(0.38, 0.38) SDCM <3	910925868414	WT490C 64S/840 PSU WB PI5 L1600	(0.38, 0.38) SDCM <3
910925868249	WT490C 64S/840 PSU WB TW3 WA7 L1200	(0.38, 0.38) SDCM <3	910925868415	WT490C 80S/840 PSU WB PI5 L1600	(0.38, 0.38) SDCM <3
910925868251	WT490C 64S/840 PSU WB ELP3 WA7 L1200	(0.38, 0.38) SDCM <3	910925868416	WT490C 80S/840 PSD WB PI5 L1600	(0.38, 0.38) SDCM <3
910925868252	WT490C 64S/840 PSD WB WA7 L1200	(0.38, 0.38) SDCM <3	910925868417	WT490C 80S/840 PSU WB TW3 PI5 L1600	(0.38, 0.38) SDCM <3
910925868253	WT490C 64S/840 PSD WB TW3 WA7 L1200	(0.38, 0.38) SDCM <3	910925868418	WT490C 64S/840 PSD WB WA7 L1600	(0.38, 0.38) SDCM <3
910925868254	WT490C 64S/840 PSD WB ELD3 WA7 L1200	(0.38, 0.38) SDCM <3	910925868419	WT490C 64S/840 PSU WB TW3 WA7 L1600	(0.38, 0.38) SDCM <3
910925868255	WT490C 64S/840 PSU VWB WA7 L1200	(0.38, 0.38) SDCM <3	910925868420	WT490C 64S/840 PSU WB WA7 L1600	(0.38, 0.38) SDCM <3
910925868256	WT490C 64S/840 PSD VWB WA7 L1200	(0.38, 0.38) SDCM <3	910925868421	WT490C 80S/840 PSU WB WA7 L1600	(0.38, 0.38) SDCM <3
910925868257	WT490C 80S/840 PSU NB-HRO WA7 L1200	(0.38, 0.38) SDCM <3	910925868422	WT490C 80S/840 PSD WB WA7 L1600	(0.38, 0.38) SDCM <3
910925868258	WT490C 80S/840 PSD NB-HRO WA7 L1200	(0.38, 0.38) SDCM <3	910925868423	WT490C 80S/840 PSU WB TW3 WA7 L1600	(0.38, 0.38) SDCM <3
910925868259	WT490C 80S/840 PSU WB WA7 L1200	(0.38, 0.38) SDCM <3	910925868692	WT490C 35S/840 PSU WB PI5 L1600	(0.38, 0.38) SDCM <3
910925868260	WT490C 80S/840 PSU WB TW3 WA7 L1200	(0.38, 0.38) SDCM <3	910925868694	WT490C 35S/840 PSU WB WA7 L1600	(0.38, 0.38) SDCM <3
910925868261	WT490C 80S/840 PSU WB ELP3 WA7 L1200	(0.38, 0.38) SDCM <3	910925869407	WT490C 64S/840 PSU WB TW3x2.5 PI5 L1600	(0.38, 0.38) SDCM <3
910925868262	WT490C 80S/840 PSD WB WA7 L1200	(0.38, 0.38) SDCM <3	910925869408	WT490C 80S/840 PSU WB TW3x2.5 PI5 L1600	(0.38, 0.38) SDCM <3
910925868263	WT490C 80S/840 PSD WB TW3 WA7 L1200	(0.38, 0.38) SDCM <3	910925867703	WT490C 23S/840 PSD WB PI5 L700	(0.38, 0.38) SDCM <3
910925868264	WT490C 80S/840 PSD WB ELD3 WA7 L1200	(0.38, 0.38) SDCM <3	910925868287	WT490C 23S/840 PSU WB PI5 L700	(0.38, 0.38) SDCM <3
910925868265	WT490C 80S/840 PSU VWB WA7L1200	(0.38, 0.38) SDCM <3	910925868250	WT490C 64S/840 PSU WB TCW5W5 L1200	(0.38, 0.38) SDCM <3

Pacific LED Gen5

Order Code	Full Product Name	Initial chromaticity	Order Code	Full Product Name	Initial chromaticity
910925868510	WT490C 64S/840 PSU WB W5 L1200	(0.38, 0.38) SDCM <3	910925868512	WT490C 64S/840 PSD WB W5 L1200	(0.38, 0.38) SDCM <3
910925868511	WT490C 80S/840 PSU WB W5 L1200	(0.38, 0.38) SDCM <3	910925868513	WT490C 80S/840 PSD WB W5 L1200	(0.38, 0.38) SDCM <3

Polar Wide Diagrams

Polar Normal (separate) - WT490CI -
910770229590

Polar Normal (separate) - WT490CI -
910925868249

Polar Normal (separate) - WT490CI -
910925868292

Polar Normal (separate) - WT490CI -
910925868698

Polar Normal (separate) - WT490CI -
910925868708

Polar Normal (separate) - WT490CI -
910925868259

Polar Normal (separate) - WT490CI -
910925868423

Polar Normal (separate) - WT490CI -
910925868702

Polar Normal (separate) - WT490CI -
910925868261

Pacific LED Gen5

Polar Wide Diagrams

Polar Normal (separate) - WT490CI -
910925868413

Polar Normal (separate) - WT490CI -
910925868697

Polar Normal (separate) - WT490CI -
910925868699

Polar Normal (separate) - WT490CI -
910925868692

Polar Normal (separate) - WT490CI -
910925868694

Polar Normal (separate) - WT490CI -
910925868693

Polar Normal (separate) - WT490CI -
910925868706

Polar Normal (separate) - WT490CI -
910925868709

Polar Normal (separate) - WT490CI -
910925868288

Pacific LED Gen5

Polar Wide Diagrams

Polar Normal (separate) - WT490CI -
910925868414

Polar Normal (separate) - WT490CI -
910925868513

Polar Normal (separate) - WT490CI -
910925868705

Polar Normal (separate) - WT490CI -
910925868419

Polar Normal (separate) - WT490CI -
910925868511

Polar Normal (separate) - WT490CI -
910925868613

Polar Normal (separate) - WT490CI -
910925868516

Polar Normal (separate) - WT490CI -
910925868701

Polar Normal (separate) - WT490CI -
910925868703

Pacific LED Gen5

Polar Wide Diagrams

Polar Normal (separate) - WT490CI -
910925868422

Polar Normal (separate) - WT490CI -
910925868509

Polar Normal (separate) - WT490CI -
910925867704

Polar Normal (separate) - WT490CI -
910925867723

Polar Normal (separate) - WT490CI -
910925867732

Polar Normal (separate) - WT490CI -
910925867735

Polar Normal (separate) - WT490CI -
910925867706

Polar Normal (separate) - WT490CI -
910925867712

Polar Normal (separate) - WT490CI -
910925867711

Pacific LED Gen5

Polar Wide Diagrams

Polar Normal (separate) - WT490CI -
910925867724

Polar Normal (separate) - WT490CI -
910925867726

Polar Normal (separate) - WT490CI -
910925867727

Polar Normal (separate) - WT490CI -
910925867720

Polar Normal (separate) - WT490CI -
910925867738

Polar Normal (separate) - WT490CI -
910925867713

Polar Normal (separate) - WT490CI -
910925867717

Polar Normal (separate) - WT490CI -
910925867714

Polar Normal (separate) - WT490CI -
910925867715

Pacific LED Gen5

Polar Wide Diagrams

Polar Normal (separate) - WT490CI -
910925867716

Polar Normal (separate) - WT490CI -
910925867739

Polar Normal (separate) - WT490CI -
910925867708

Polar Normal (separate) - WT490CI -
910925867719

Polar Normal (separate) - WT490CI -
910925867725

Polar Normal (separate) - WT490CI -
910925867737

Polar Normal (separate) - WT490CI -
910925867718

Polar Normal (separate) - WT490CI -
910925867734

Polar Normal (separate) - WT490CI -
910925867721

Pacific LED Gen5

Polar Wide Diagrams

Polar Normal (separate) - WT490CI -
910925867729

Polar Normal (separate) - WT490CI -
910925868253

Polar Normal (separate) - WT490CI -
910925868266

Polar Normal (separate) - WT490CI -
910925868287

Polar Normal (separate) - WT490CI -
910925868289

Polar Normal (separate) - WT490CI -
910925868290

Polar Normal (separate) - WT490CI -
910925868256

Polar Normal (separate) - WT490CI -
910925868264

Polar Normal (separate) - WT490CI -
910925868412

Pacific LED Gen5

Polar Wide Diagrams

Polar Normal (separate) - WT490CI -
910925868611

Polar Normal (separate) - WT490CI -
910925868252

Polar Normal (separate) - WT490CI -
910925868262

Polar Normal (separate) - WT490CI -
910925868265

Polar Normal (separate) - WT490CI -
910925868416

Polar Normal (separate) - WT490CI -
910925868510

Polar Normal (separate) - WT490CI -
910925867703

Polar Normal (separate) - WT490CI -
910925867705

Polar Normal (separate) - WT490CI -
910925867707

Pacific LED Gen5

Polar Wide Diagrams

Polar Normal (separate) - WT490CI -
910925867709

Polar Normal (separate) - WT490CI -
910925867710

Polar Normal (separate) - WT490CI -
910925867722

Polar Normal (separate) - WT490CI -
910925867728

Polar Normal (separate) - WT490CI -
910925867731

Polar Normal (separate) - WT490CI -
910925867733

Polar Normal (separate) - WT490CI -
910925867736

Polar Normal (separate) - WT490CI -
910925867743

Polar Normal (separate) - WT490CI -
910925867741

Pacific LED Gen5

Polar Wide Diagrams

Polar Normal (separate) - WT490CI -
910925867740

Polar Normal (separate) - WT490CI -
910925867744

Polar Normal (separate) - WT490CI -
910925868247

Polar Normal (separate) - WT490CI -
910925868251

Polar Normal (separate) - WT490CI -
910925868255

Polar Normal (separate) - WT490CI -
910925868254

Polar Normal (separate) - WT490CI -
910925868258

Polar Normal (separate) - WT490CI -
910925868263

Polar Normal (separate) - WT490CI -
910925868260

Pacific LED Gen5

Polar Wide Diagrams

Polar Normal (separate) - WT490CI -
910925868257

Polar Normal (separate) - WT490CI -
910925868294

Polar Normal (separate) - WT490CI -
910925868293

Polar Normal (separate) - WT490CI -
910925868415

Polar Normal (separate) - WT490CI -
910925868417

Polar Normal (separate) - WT490CI -
910925868418

Polar Normal (separate) - WT490CI -
910925868420

Polar Normal (separate) - WT490CI -
910925868421

Polar Normal (separate) - WT490CI -
910925868512

Pacific LED Gen5

Polar Wide Diagrams

Polar Normal (separate) - WT490CI -
910925868691

Polar Normal (separate) - WT490CI -
910925868695

Polar Normal (separate) - WT490CI -
910925868696

Polar Normal (separate) - WT490CI -
910925868704

Polar Normal (separate) - WT490CI -
910925868707

Polar Normal (separate) - WT490CI -
910925869401

Polar Normal (separate) - WT490CI -
910925869402

Polar Normal (separate) - WT490CI -
910925869403

Polar Normal (separate) - WT490CI -
910925869405

Pacific LED Gen5

Polar Wide Diagrams

Polar Normal (separate) - WT490CI -
910925869406

Polar Normal (separate) - WT490CI -
910925869404

Polar Normal (separate) - WT490CI -
910925869407

Polar Normal (separate) - WT490CI -
910925869408

Polar Normal (separate) - WT490CI -
910925869410

Polar Normal (separate) - WT490CI -
910925868250

Polar Normal (separate) - WT490CI -
910925868614

Polar Normal (separate) - WT490CI -
910925868612

Polar Normal (separate) - WT490CI -
910925868615

Pacific LED Gen5

Polar Wide Diagrams

Polar Normal (separate) - WT490CI -
910925868619

Polar Normal (separate) - WT490CI -
910925868616

Polar Normal (separate) - WT490CI -
910925868617

Polar Normal (separate) - WT490CI -
910925868618

Polar Normal (separate) - WT490CI -
910925868620

Polar Normal (separate) - WT490CI -
910925868621

Polar Normal (separate) - WT490CI -
910925868622

Polar Normal (separate) - WT490CI -
910925869609

Polar Normal (separate) - WT490CI -
910925869610

Pacific LED Gen5

Polar Wide Diagrams

Polar Normal (separate) - WT490CI -
910925869608

Polar Normal (separate) - WT490CI -
910925869611

Polar Normal (separate) - WT490CI -
910925869606

Polar Normal (separate) - WT490CI -
910925869607

