







Palettenregal Pallet racking

BITO
WWW.BITO.COM

PL-PRO


#6/2017/Art.-Nr.: 42610



Aufbau- und Bedienanleitung (DE)
Instructions for assembly and use (GB)
Instructions de montage et d'utilisation (FR)
Richtlijnen en montagehandleiding (BE)
Instrucciones de montaje y manejo (ES)
Istruzioni per il montaggio e l'impiego (IT)
Montage- op betjeningsvejledning (DK)
összeállítási és kezelési útmutató (HU)
Instrukcja montażu i użytkowania (PL)
Návod k montáži a obsluze (CZ)
Návod na montáž a použitie (SK)
Інструкція по монтажу та експлуатації (UA)
Инструкция по сборке и использованию (RU)




www.bitto.com



3, 4, 38-41



5 - 15




16 - 37





41, 49






PALETTENREGAL PL-PRO






BGR 234




DIN EN 15620




1,5 mm

4,0 mm




1,5/4,0 mm




L/400

L	H
< 1m	max. 4 mm
> 1m - < 4 m	max. 10 mm
> 4 m - < 15 m	max. 12 mm
> 15 m	max. 15 mm




C20/C25
DIN EN 206-1/DIN 1045-2




DIN EN 16681

Mg [CO₃]





PALETTENREGAL PL-PRO







i DIN EN 15635






2010

2011





1x

www.bitto.com













PALLET RACKING PL-PRO






PALETTENREGAL PL-PRO





P1, P2, P3, P4




PALETTENREGAL PL-PRO







PALLETRACKING PL-PRO




		T= 600 mm		T= 800 mm		T= 1.100 mm				
①	②	③	④	③	④	③	④	⑤	⑥	⑦
P1 80 mm	„L“ 120 x 105 x 5 mm 25 x 21 mm	L= 530 mm	L= 740 mm	L= 730 mm	L= 892 mm	L= 1.030 mm	L= 1.149 mm	M10 x 65 mm DIN EN ISO 4017	M10 DIN EN ISO 7042	ø 14 x 1,5 LH= 25 mm
P2 90 mm										
P3 100 mm										
P4 120 mm	„M“ 150 x 105 x 6 mm 35 x 25 mm	L= 520 mm	L= 733 mm	L= 720 mm	L= 884 mm	L= 1.020 mm	L= 1.140 mm	M10 x 90 mm DIN EN ISO 4017	M10 DIN EN ISO 7042	ø 14,0 x 1,5 LH= 34 mm





PALETTENREGAL PL-PRO





PALLET RACKING PL-PRO







		L > 124 mm			
②		50 x 50 x L mm		2x	
③		M10x40 mm DIN EN ISO 4762	8.8	4x	
④		M10	8	4x	





		L 60 < L < 124 mm			
②		50 x 50 x L mm		2x	
③		M10 DIN EN ISO 4032	8	4x	
④		Ø10 DIN EN ISO 7089		4x	
⑤		M10x30 mm DIN EN ISO 4017	8.8	4x	




1		2800 - 3800 mm		4x
2		M10x70 mm DIN EN ISO 4014	8.8	4x
4		M10x20 mm DIN EN ISO 4017	8.8	10x
5		M10 DIN EN ISO 7042	8	14x
6				4x
7		M12		2x
8		14.0x1.5x21.0		4x
9		14.0x1.5x25.0		4x
10		14.0x1.5x16.0		8x
11		14.0x1.5x34.0		4x
12		M10x90 mm DIN EN ISO 4014	8.8	4x

i	FB
	45313 2800 - 3800 mm
	45314 1800 - 2800 mm






2.



3.





1x = 4x

1

2

2x

Ø 10 mm

100 mm

1

2

3

4

25 Nm

max. 20 mm

M10/20

50 mm

1

1

2

4x

HST3 / M12x115 40/20

2

Ø 12 mm

90 mm

1

2

3


4

60 Nm





Temperature (°C)	Drilling Time
> 20	20 min.
+10 → +20	30 min.
0 → +10	1 h
-5 → 0	5 h

4x
M12



	①	② ③ 1x	④ 4x	⑤ 4x	⑥ 4x
		(A x B)	 8.8 DIN EN ISO 7380-2	 8 DIN EN ISO 4032	
P1		81,5 x 110 mm	M10 x 40	M10	14 x 1,5 x 16 mm
P2		91,5 x 105 mm	M10 x 40	M10	14 x 1,5 x 21 mm
P3		101,5 x 101,5 mm	M10 x 40	M10	14 x 1,5 x 25 mm
P4-P6		121,5 x 125,5 mm	M10 x 40	M10	14 x 1,5 x 25 mm










PALLET RACKING PL-PRO

T (mm)	FB (mm)	①	②	③	A (mm)	B (mm) max.	C =
600	1.350	PT 67L	-	3	72	600	FB-(2x A + ΣB)
	1.800		-	4		550	
	2.200		1	5		550	
	2.700		1	5		650	
	2.700	PT 69L	1	7		450	

T (mm)	FB (mm)	①	②	③	A (mm)	B (mm) max.	C =
800	1.350	PT 67L	-	3	72	600	FB-(2x A + ΣB)
	1.800		-	4		550	
	2.200		1	5		550	
	2.700		1	5		650	
	2.700	PT 69L	1	7		450	









T (mm)	FB (mm)	①	②	③	A (mm)	B (mm) max.	C =
1.100	1.350	PT 67L	-	4	72	400	FB-(2x A + ΣB)
	1.800		-	5		450	
	2.200		1	5		550	
	2.700		1	5		650	
	2.700	PT 69L	1	7		450	









FB	PT	2		A	B
		T= 800 mm	T= 1.100 mm		
1.350 mm	PT 95L		3x	~ 225	450 mm
1.800 mm	PT 95L		3x		675 mm
2.200mm	PT 95L		4x		583 mm
2.700 mm	PT 95L		4x		750 mm
	PT 110L		4x		562 mm
	PT 120M	5x	-		750 mm
	PT 120M	-	4x		712 mm
3.300 mm	PT 120M		5x		787 mm
	PT 150M		5x		
3.600 mm	PT 130M		5x		
	PT 150M				
	PT 170S				








	A	A-B	B
L	X =	X =	X =
890 mm	840 mm	822 mm	804 mm
1.090 mm	1.040 mm	1.022 mm	1.004 mm
1.340 mm	1.238 mm	1.220 mm	1.202 mm



①				1x
②				1x
③				2x
④		MT5 x 16 mm DIN 7500-1	8.8	4x
⑤		Ø 6,3 x 19 mm DIN EN ISO 15481		1x



max. 1.000 kg



T = 1.100 mm





„S“



i


FB	T		2	
			99 mm	73 mm
1.350 mm	600 / 800 mm	-	12	2
	1.100 mm	S		
1.800 mm	600 / 800 mm	-	18	-
	1.100 mm	S		
2.200 mm	600 / 800 mm	-	22	-
	1.100 mm	S		
2.700 mm	600 / 800 mm	-	27	-
	1.100 mm	S		
3.300 mm	600 / 800 mm	-	33	-
	1.100 mm	S		
3.600 mm	600 / 800 mm	-	36	-
	1.100 mm	S		

i


FB	2		
	B = 297 mm	B = 149,5 mm	B = 105 mm
1.350 mm	4	1	-
1.800 mm	6	-	-
2.200 mm	7	-	1
2.700 mm	9	-	-
3.300 mm	11	-	-
3.600 mm	12	-	-




①	1x
②	2x
	 M6 x 12
③	2x
	 M6




PALETTENREGAL PL-PRO










①				1x
②		Ø 6,3 x 19 mm DIN EN ISO 15481		1x






$$\sum F \leq Q$$




T	max.
800 mm	640 kg
1.100 mm	440 kg







1				1x
2		80 x 80 mm		1x
3		M10 x 100 mm DIN 603	4.6	2x
4		Ø10,5 DIN EN ISO 7089		2x
5		M10 DIN EN ISO 4032	8	2x
6		Ø 6,3 x 19 mm DIN EN ISO 15481		1x





$$\Sigma F \leq Q$$



T	
800 mm	1.250 kg
1.100 mm	1.250 kg




1.



2.


6x




HST3 / M12x115 40/20








i





2.




1				1x
2				1x
3				1x (2x)
4		M10 x 20 mm DIN 603	8.8	4x (8x)
5		Ø10,5 DIN EN ISO 7093-1		4x (8x)
6		M10 DIN EN ISO 4036	8	4x (8x)
7		HST3 M12x115 40/20		12x




①				1x
②		M10 x 20 mm DIN EN ISO 4017	8.8	1x
③		M10	8	1x







PALETTENREGAL PL-PRO



1-3				1x
5		M6 x 16 mm DIN EN ISO 4017	8.8	1x
6		Ø6,4 mm DIN EN ISO 7089		2x
7		M6	8	1x






i

1x = 4x



2x = 6x

3x = 8x

FB	8	A
1.350 mm	2x	3x (450 mm)
1.800 mm	2x	3x (600 mm)
2.200 mm	3x	4x (550 mm)
2.700 mm	3x	4x (675 mm)
3.300 mm	4x	5x (550 mm)
3.600 mm	5x	6x (600 mm)










1				1x
6				1x
2		M10 x 20 mm DIN EN ISO 4017	8.8	2x
3		M10	8	2x
4		46 x 46 mm		1x
5		Ø4,0 x 71 mm		2x







PALETTENREGAL PL-PRO






- 1** **2x**


- 2** **8x**

M10
Tensilock


- 3** **14x**

M10 x 30
DIN EN ISO 7089 (DIN 125)

- 4** **16x**

M10 x 25
DIN EN ISO 4017 (DIN 933)

- 5** **2x**




- 6** **2x**


- 7** **8x**

M10
DIN EN ISO 10511 (DIN 985)








PALETTENREGAL PL-PRO





BITO



① **2x**

② **8x**




M10
Tensilock

③ **14x**



M10 x 30
DIN EN ISO 7089 (DIN 125)

④ **16x**




M10 x 25
DIN EN ISO 4017 (DIN 933)

⑤ **2x**

⑥ **8x**



M10
DIN EN ISO 10511 (DIN 985)




PALLET RACKING PL-PRO




1.



A-D






2.

E-F





P1 - P3	U180
P4 - P6	U200





> 20	20 min.
+10 \Rightarrow +20	30 min.
0 \Rightarrow +10	1 h
-5 \Rightarrow 0	5 h















PALETTENREGAL PL-PRO



	T	②	③
P1-P3	800 mm	730 mm	892 mm
	1.100 mm	1.030 mm	1.149 mm
P4	800 mm	720 mm	884 mm
	1.100 mm	1.020 mm	1.140 mm





1	2	3	4	5	6	7	8
2x	2x	1x	2x	12x	12x	2x	8x
P1 - P3	25 x 21 mm	25 x 21 mm	59 x 51 L = 295 mm	M10 x 67 mm	M10	∅14 x 1,5 L = 25 mm	∅14 x 1,5 L = 41,5 mm
P4	35 x 25 mm	35 x 25 mm	59 x 71 L = 295 mm	M10 x 90 mm	M10	∅14 x 1,5 L = 34 mm	∅14 x 1,5 L = 61,5 mm







A



min. 500 mm





B





C



D


















E






PALETTENREGAL PL-PRO








1



Q
44-47

* i		P3
DIN EN ISO 9001		
FA	Qmax.*	= PT 95L L = 3.600 mm
1.000 mm	12.200 kg	
1.250 mm	11.840 kg	
1.500 mm	10.280 kg	
1.750 mm	8.880 kg	
2.000 mm	7.520 kg	
2.500 mm	5.400 kg	
mm	kg	


2




2







Qmax.
48-49




472 x 380 mm



1		472 x 380 mm		1x
2		M10 x 20 mm DIN EN ISO 4017	8.8	2x
3		M10 DIN EN ISO 4032	8	2x




$\Sigma Q \leq Q_{max.}$



i
Q
44-47

i
Q_{max}
48-49





PALETTENREGAL PL-PRO

	PT			P1	P2	P3	P4
	FB= (mm)		H= (mm)	Q= max. (kg)		Q= max. (kg)	
	1.350	PT 95L	95	2.000		2.000	
	1.500	PT 95L	95	2.000		2.000	
	1.800	PT 95L	95	2.500		2.500	
	2.200	PT 95L	95	2.100		2.250	
	2.700	PT 95L	95	1.800		1.900	
		PT 110L	110	2.400*		2.400	
		PT 120M	120	3.050		3.175	
	3.300	PT 150M	150	4.250		4.350	
		PT 120M	120	2.350		2.500	
	3.600	PT 150M	150	3.500		3.650	
PT 130M		130	2.400		2.500		
PT 150M		150	3.200		3.350		
		PT 170S	170	4.000		4.150	

* =

	FB= (mm)		H= (mm)	T= 800 mm		T= 1.100 mm	
				Q= max. (kg)	PSU	Q= max. (kg)	PSU
	1.350	PT 95L	95	1.500	3	1.500	3
	1.800	PT 95L	95	1.800	3	2.200	3
	2.200	PT 95L	95	2.100	4	2.100	4
		PT 95L	95	1.800	4	1.800	4
	2.700	PT 110L	110	2.200	4	2.400	4
		PT 120M	120	3.000	5	3.000	4
		PT 150M	150	3.000	5	4.000	5
	3.300	PT 120M	120	2.400	5	2.400	5
		PT 150M	150	2.800	5	3.300	5
	3.600	PT 130M	130	2.300	5	2.400	5
PT 150M		150	2.300	5	3.250	5	
PT 170S		170	2.300	5	3.300	5	




$$\Sigma Q \leq Q_{max.}$$




Q_{max.}
48-49





		A 33 x 1,5 mm				
T= 800, 1.100 (mm)		FB= (mm)	H= (mm)	T= 800 Q= max. (kg)		
	1.350	PT 95L	95	1.500		
	1.800	PT 95L	95	2.000		
	2.200	PT 110L	110	2.400		
	2.700	PT 120M	120	3.000		
	3.300	PT 150M	150	3.500		
	3.600	PT 170S	170	4.000		
			A 33 x 1,5 mm		B 33 x 2,0 mm	
FB= (mm)	H= (mm)	T= 1.100 Q= max. (kg)	H= (mm)	T= 1.100 Q= max. (kg)		
1.350	PT 95L	95	900	PT 95L	95	1.500
1.800	PT 95L	95	1.200	PT 95L	95	2.000
2.200	-	-	-	PT 110L	110	2.400
2.700	PT 95L	95	1.800	PT 120M	120	3.000
3.300	-	-	-	PT 150M	150	3.500
3.600	PT 130M	130	2.400	PT 170S	170	4.000




T= 800, 1.100 (mm)		FB= (mm)	H= (mm)	T= 800/1.100 mm Q= max. (kg)
	1.350	PT 95L	95	1.500
	1.800	PT 95L	95	2.040
	2.200	PT 95L	95	2.100
	2.700	PT 95L	95	1.800
		PT 110L	110	2.400
		PT 120M	120	3.060
	3.300	PT 150M	150	3.060
		PT 120M	120	2.400
	3.600	PT 150M	150	3.300
		PT 130M	130	2.400
		PT 150M	150	3.250
	PT 170S	170	4.000	






PALETTENREGAL PL-PRO




	FB= (mm)					
		PST 67L	PST 69L	PST 104L	PST 117L	PST 119L
		Q= max. kg	Q= max. kg	Q= max. kg	Q= max. kg	
	1.350	400	1.200	2.000	1.200	2.000
	1.800	-	1.000	2.275	-	2.360
	2.200	-	870	1.900	-	2.000
	2.700	-	700	1.600	-	1.650
	3.300	-	500	1.350	-	1.400
	3.600	-	430	1.250	-	1.300






T= 600, 800, 1.100 (mm)	FB= (mm)	T= (mm)	PST 67L		PST 69L	
			Q= max. kg	Q= max. kg	Q= max. kg	Q= max. kg
	1.350	600	-	3	400	-
	1.800		-	4	500	-
	2.200		1	5	550	-
	2.700		1	5	500	-
	2.700		-	7	-	700
	1.350	800	-	3	400	-
	1.800		-	4	500	-
	2.200		1	5	550	-
	2.700		1	5	500	-
	2.700		-	7	-	700
	1.350	1.100	-	3	400	-
	1.800		-	4	500	-
	2.200		1	5	550	-
	2.700		1	5	500	-
	2.700		-	7	-	700




$\Sigma Q \leq Q_{max.}$






i
Q_{max.}
48-49

T= 600, 800, 1.100 (mm)	FB= (mm)	PST 69L		PST 104L	
		Q= max. kg	Q= max. kg	Q= max. kg	Q= max. kg
	1.350	975	975	975	975
	1.800	1.000	1.260	1.260	1.260
	2.200	870	1.540	1.540	1.540
	2.700	700	1.600	1.600	1.600
	3.300	500	1.350	1.350	1.350
	3.600	430	1.250	1.250	1.250









T= 800, 1.100 (mm)	FB= (mm)	PST 117L		PST 119L	
		T= 800 mm	T= 1.100 mm	T= 800 mm	T= 1.100 mm
	1.350	1.200	650	1.200	650
	1.800	-	-	1.600	900
	2.200	-	-	1.950	1.100
	2.700	-	-	1.650	1.350
	3.300	-	-	1.400	1.400
	3.600	-	-	1.300	1.300





PST	P1	P2		P3		P4			
		80 mm	90 mm	100 mm	120 mm				
	Qmax. (kg)		Qmax. (kg)		Qmax. (kg)		Qmax. (kg)		
	FB ≤ 2.700 mm	FB ≤ 3.600 mm	FB ≤ 2.700 mm	FB ≤ 3.600 mm	FB ≤ 2.700 mm	FB ≤ 3.600 mm	FB ≤ 2.700 mm	FB ≤ 3.600 mm	
FA = (mm)									
1.000	PST 67L	4.900	3.860	5.480	4.280	5.420	4.460	6.120	4.560
1.250		3.160	3.100	4.280	3.680	4.760	3.900	4.880	4.040
1.500		1.760	1.760	3.120	2.860	3.200	3.000	3.940	3.460
1.750		1.100	1.100	2.340	2.540	2.800	2.600	3.440	2.840
2.000		-	-	-	-	-	-	-	-
2.500		-	-	-	-	-	-	-	-
1.000	PST 69L	4.900	3.860	5.660	4.780	5.420	5.040	6.120	5.760
1.250		3.180	3.100	4.640	3.780	4.760	4.080	4.880	4.300
1.500		2.440	2.200	3.780	3.100	3.860	3.480	4.500	3.620
1.750		2.280	1.880	3.280	2.640	3.480	2.840	3.740	2.980
2.000		-	-	-	-	-	-	-	-
2.500		-	-	-	-	-	-	-	-
1.000	PST 104L	6.000	6.000	9.360	8.941	12.160	11.880	14.860	13.640
1.250		6.000	6.000	8.760	8.560	11.320	10.320	13.580	11.620
1.500		6.000	5.940	8.220	7.920	10.180	8.840	11.900	9.420
1.750		5.820	5.680	7.500	6.660	8.860	7.620	9.840	8.100
2.000		5.140	5.260	6.800	5.440	7.580	6.500	8.740	6.880
2.500		4.160	4.060	5.440	4.020	5.860	5.160	6.500	5.420
1.000	PST 119L	6.000	6.000	9.360	8.941	12.160	11.880	14.860	13.640
1.250		6.000	6.000	8.760	8.560	11.320	10.320	13.580	11.620
1.500		6.000	5.940	8.220	7.920	10.180	8.840	11.900	9.420
1.750		5.820	5.680	7.500	6.660	8.860	7.620	9.840	8.100
2.000		5.140	5.260	6.800	5.440	7.580	6.500	8.740	6.880
2.500		4.160	4.060	5.440	4.020	5.860	5.160	6.500	5.420









PT		P1		P2		P3		P4	
									
		Qmax. (kg)		Qmax. (kg)		Qmax. (kg)		Qmax. (kg)	
FA= (mm)		FB ≤ 2.700 mm	FB ≤ 3.600 mm	FB ≤ 2.700 mm	FB ≤ 3.600 mm	FB ≤ 2.700 mm	FB ≤ 3.600 mm	FB ≤ 2.700 mm	FB ≤ 3.600 mm
1.000	PT 95L	6.000	6.000	9.500	8.941	12.837	12.202	16.194	14.140
1.250		6.000	6.000	9.339	8.941	12.480	11.840	14.980	13.200
1.500		6.000	6.000	8.860	8.500	11.720	10.280	13.900	11.520
1.750		5.800	5.660	7.840	7.780	10.400	8.880	11.920	9.440
2.000		5.560	5.360	7.460	6.940	8.900	7.520	10.360	8.080
2.500		4.580	4.100	5.920	5.160	6.660	5.400	7.680	6.460
1.000	PT 110L	6.000	6.000	9.500	8.941	12.837	12.202	16.194	16.194
1.250		6.000	6.000	9.339	8.941	12.480	12.202	15.973	15.740
1.500		6.000	6.000	8.860	8.840	11.720	12.040	15.260	14.500
1.750		6.000	6.000	8.500	8.340	10.400	10.420	14.240	12.380
2.000		5.720	5.440	7.460	7.020	8.900	9.120	12.620	10.720
2.500		4.880	4.560	6.200	5.560	6.660	6.900	9.720	8.200
1.000	PT 120M	6.000	6.000	9.500	8.941	12.837	12.202	16.194	16.194
1.250		6.000	6.000	9.339	8.941	12.691	12.202	15.973	15.973
1.500		6.000	6.000	9.177	8.840	12.100	12.202	15.751	15.440
1.750		6.000	6.000	8.700	8.540	11.740	11.500	14.840	14.460
2.000		6.000	5.720	7.680	7.220	10.240	10.060	14.000	13.240
2.500		4.880	4.560	6.820	6.220	9.140	8.340	11.780	10.200
1.000	PT 130M	6.000	6.000	9.500	8.941	12.837	12.202	16.194	16.194
1.250		6.000	6.000	9.339	8.941	12.691	12.202	15.973	15.973
1.500		6.000	6.000	9.177	8.941	12.544	12.202	15.751	15.751
1.750		6.000	6.000	8.700	8.540	11.580	11.500	15.280	14.720
2.000		6.000	5.720	7.680	8.140	9.780	10.800	14.220	13.780
2.500		4.880	4.900	7.000	6.220	8.580	8.340	12.500	11.840
1.000	PT 150M	6.000	6.000	9.500	8.941	12.837	12.202	16.194	16.194
1.250		6.000	6.000	9.339	8.941	12.691	12.202	15.973	15.973
1.500		6.000	6.000	9.177	8.941	12.544	12.202	15.751	15.751
1.750		6.000	6.000	9.016	8.540	12.280	12.040	15.530	15.420
2.000		6.000	5.920	8.460	8.140	11.060	10.800	14.960	14.620
2.500		4.880	4.900	7.000	6.460	9.840	9.560	13.060	12.600
1.000	PT 170S	6.000	6.000	9.500	8.941	12.837	12.202	16.194	16.194
1.250		6.000	6.000	9.339	8.941	12.691	12.202	15.973	15.973
1.500		6.000	6.000	9.177	8.941	12.544	12.202	15.751	15.751
1.750		6.000	6.000	9.016	8.941	12.398	12.202	15.530	15.530
2.000		6.000	5.920	8.460	8.460	11.640	11.480	15.240	14.480
2.500		4.880	4.900	7.000	6.720	9.900	9.760	13.860	13.380

Palettenregal Pallet racking

PL-PRO

#6/2017/Art.-Nr.: 42610



Ihre Meinung!
Give your feedback!
feedbackmontage@bito.com