




RAYCHEM | RAYCHEM DCPT

TE Internal #: 5038494001

Yellow/Green, 2:1, Dual Wall Tubing, Shrinks To 9 mm [.354 in],
Irradiated Modified Polyolefin, 19 mm [.748 in] Inner Diameter,
RAYCHEM DCPT

[View on TE.com >](#)

Heat Shrink Tubing > DCPT Heat Shrink Tubing



Primary Product Color: **Yellow/Green**

Wall Type: **Dual Wall**

Expanded Inside Diameter (Min): **19 mm [.748 in]**

Recovered Inside Diameter (Max): **9 mm [.354 in]**

Shrink Ratio: **2:1**

[All DCPT Heat Shrink Tubing \(26\)](#)

Features

Product Type Features

| | |
|-----------|-----------|
| Wall Type | Dual Wall |
|-----------|-----------|

Electrical Characteristics

| | |
|-------------------------|-------|
| Operating Voltage (Max) | .6 kV |
|-------------------------|-------|

Body Features

| | |
|--------------------------|--|
| Fluid Type | Gasoline, Hydraulic Fluid, Lubricating Oil |
| Primary Product Color | Yellow/Green |
| Shrink Ratio | 2:1 |
| Primary Product Material | Irradiated Modified Polyolefin |
| Flexibility | Flexible |

Dimensions

| | |
|--------------------------------------|---------------------------|
| Recovered Wall Thickness (Tolerance) | .15 mm[.006 in] |
| Recovered Wall Thickness (Nominal) | .75 mm[.03 in] |
| Expanded Inside Diameter (Min) | 19 mm[.748 in] |
| Recovered Inside Diameter (Max) | 9 mm[.354 in] |
| Tubing Size Range | 9 – 19 mm[.354 – .748 in] |

Usage Conditions



| | |
|-----------------------------|-----------------|
| Shrink Temperature (Min) | 95 °C |
| Tubing Flammability Type | Flame-Retardant |
| Operating Temperature Range | -55 – 135 °C |
| Recovery Temperature | 120 °C |

Operation/Application

| | |
|-----------------------|---------------------------|
| Mechanical Resistance | Fluids, Mechanical Damage |
|-----------------------|---------------------------|

Product Availability

| | |
|-------------------|--------|
| Applicable Region | Global |
|-------------------|--------|

Packaging Features

| | |
|------------------|-------|
| Packaging Method | Spool |
|------------------|-------|

Other

| | |
|-----------------------------------|----------------|
| Meets Low Outgassing Requirements | No |
| Product Source | Czech Republic |

Product Compliance

[For compliance documentation, visit the product page on TE.com>](#)

| | |
|---|---|
| EU RoHS Directive 2011/65/EU | Compliant |
| EU ELV Directive 2000/53/EC | Compliant |
| China RoHS 2 Directive MIIT Order No 32, 2016 | No Restricted Materials Above Threshold |
| EU REACH Regulation (EC) No. 1907/2006 | Current ECHA Candidate List: JUNE 2024 (241) Candidate List Declared Against: JUNE 2022 (224) Does not contain REACH SVHC |
| Halogen Content | Not Low Halogen - contains Br or Cl > 900 ppm. |
| Solder Process Capability | Not applicable for solder process capability |

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on

requirements for substances in articles' posted at this URL: <https://echa.europa.eu/guidance-documents/guidance-on-reach>

Compatible Parts




TE Part # EG1114-000
CV1981-ST-230V1600W-EU

Also in the Series | RAYCHEM DCPT




Electrical Heat Shrink Tubing(14)



Heat Shrink Tubing(27)

Customers Also Bought



TE Part #5038814001
DCPT-10/5-45-SP




TE Part #2-1318117-3
DYNAMIC D2100 TAB HSG 3P F/H Y



TE Part #5677614009
RNF-3000-39/13-0-SP




TE Part #763665J001
V2-25.0-0-FSP-SM



TE Part #938370-000
MWTM-85/25-1000/S(S5)



TE Part #471872-000
LKZ16L3



TE Part #492107-000
462A421-71/180-0

Documents

[Product Drawings](#)
[DCPT-19/9-45-SP](#)



English

Datasheets & Catalog Pages

[DCPT Pages from 9-1773447-9](#)

English

Product Specifications

[Application Specification](#)

English