



SIMEL | SIMEL BLMT

TE Internal #: E26422-000

Americas / Asia / Europe, Middle East & Africa, Shear Bolt, ≤ 84 kV,

Aluminum / Copper, Sector / Solid / Stranded, SIMEL BLMT,

Mechanical Connectors

[View on TE.com >](#)

Energy & Power > Power Systems Connectors > Mechanical Connectors > Mechanical Lugs: up to 84 kV



Product Availability: Americas, Asia, Australia, New Zealand & Pacific Islands, China, Europe, Middle East & Africa

Installation Technology: Shear Bolt

Voltage Class: ≤ 84 kV

Compatible Conductor Material: Aluminum, Copper

Conductor Type: Sector, Solid, Stranded

[All Mechanical Lugs: up to 84 kV \(36\)](#)

Features

Product Type Features

Installation Technology	Shear Bolt
-------------------------	------------

Configuration Features

Number of Bolts	2
-----------------	---

Electrical Characteristics

Voltage Class	≤ 84 kV
---------------	---------

Body Features

Compatible Conductor Material	Aluminum, Copper
Conductor Type	Sector, Solid, Stranded
Primary Product Material	Aluminum

Dimensions

Bolt Head Size (Across Flats)	22 mm
Compatible Conductor Range	250 – 500 AWG/kcmil, 500 – 600 AWG/kcmil
Compatible Conductor Cross-Section Range	120 – 185 mm ² , 120 – 240 mm ² , 120 – 300 mm ² , 150 – 300 mm ² , 240 – 300 mm ²
Palm Hole Diameter	17

Operation/Application



Power Component Application Type

Indoor Use, Outdoor Use

Mechanical Connector Product Type

Shear Bolt Terminal Lug

Product Availability

Product Availability

Americas, Asia, Australia, New Zealand & Pacific Islands, China, Europe, Middle East & Africa

Product Compliance

For compliance documentation, visit the product page on [TE.com](https://www.te.com)>

EU RoHS Directive 2011/65/EU

Compliant with Exemptions

EU ELV Directive 2000/53/EC

Compliant with Exemptions

China RoHS 2 Directive MIIT Order No 32, 2016

Restricted Materials Above Threshold

EU REACH Regulation (EC) No. 1907/2006

Current ECHA Candidate List: JUNE 2024 (241)
 Candidate List Declared Against: JUNE 2024 (241)
 SVHC > Threshold:
 Pb (1.5% in Component Part)

Article Safe Usage Statements:

Do not eat, drink or smoke when using this product. Wash thoroughly after handling. Recycle if possible and dispose of the article by following all applicable governmental regulations relevant to your geographic location.

Halogen Content

Low Halogen - Br, Cl, F, I < 900 ppm per homogenous material. Also BFR/CFR/PVC Free

Solder Process Capability

Not applicable for solder process capability


Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: <https://echa.europa.eu/guidance-documents/guidance-on-reach>



Compatible Parts



Also in the Series | SIMEL BLMT



Customers Also Bought





Documents

Product Drawings

[BLMT-120/300-17](#)

English

Datasheets & Catalog Pages

[Mechanical Shear Bolt Terminal Lugs BLMT and Connectors BSM](#)

English

[MECHANICAL SHEAR BOLT TERMINAL LUGS BLMT](#)

English