

VSH XPress Carbon slip coupling (2 x press)



group: C1403 **category:** fittings **product line:** VSH XPress Carbon

The VSH XPress C1403 is a carbon steel slip coupling with 2 press ends. By using VSH XPress in your piping installation you can install in a quick, easy and clean way. VSH XPress provides a complete piping system suitable for every conceivable application.

provided with all relevant approvals
Leak Before Pressed-function
clear identification on fitting of material and dimension

applications

heating, cooling, compressed air,
solar energy, sprinkler, vacuum

segments

residential , fire protection ,
commercial building , industry ,
shipbuilding

approvals

ATG , Bureau Veritas , CNBOP ,
DNV-GL , Lloyds Register , LPCB ,
QB (CSTBat) , RINA , RISE , SBSC ,
SPF , VdS

assortment

item number	size	dimensions	weight	packaging	gtin
6201437	12	67x20x20 mm	0.04 kg	bag (10 pce)	08711985094756
6201448	15	80x23x23 mm	0.06 kg	bag (10 pce)	08711985094770
6201459	18	80x27x27 mm	0.07 kg	bag (10 pce)	08711985094794
6201461	22	84x32x32 mm	0.08 kg	bag (10 pce)	08711985094817
6201470	28	92x38x38 mm	0.11 kg	bag (5 pce)	08711985094831
6201481	35	103x45x45 mm	0.16 kg	bag (5 pce)	08711985139235
6201492	42	121x54x54 mm	0.22 kg	bag (4 pce)	08711985094879
6201503	54	140x65x65 mm	0.33 kg	bag (2 pce)	08711985139242
6341357	66.7	198x83x83 mm	0.68 kg	bag (2 pce)	08711985292435
6206233	76.1	230x95x95 mm	0.94 kg	bag (2 pce)	08711985182095
6206244	88.9	261x110x110 mm	1.28 kg	bag (2 pce)	08711985161786
6206255	108	301x133x133 mm	2.22 kg	bag (2 pce)	08711985182163

specifications - characteristics


color	silver
materials	steel (St 34.2 (1.0034))
finishing	galvanised
shape	straight
connection type	press (M)
sealing	EPDM

specifications - general

product group	fittings
ETIM class	EC003024 Fitting with 2 connections
HS code	73079980
brand	VSH
series	XPress Carbon
type	C1403

dimensions

item number	size	d1	DN1	l1	es1	d2	DN2	l2	es2
6201437	12	12.0	DN10	34	17	12.0	DN10	34	17
6201448	15	15.0	DN12	40	20	15.0	DN12	40	20
6201459	18	18.0	DN15	40	20	18.0	DN15	40	20
6201461	22	22.0	DN20	42	21	22.0	DN20	42	21
6201470	28	28.0	DN25	46	23	28.0	DN25	46	23
6201481	35	35.0	DN32	52	26	35.0	DN32	52	26
6201492	42	42.0	DN40	61	30	42.0	DN40	61	30
6201503	54	54.0	DN50	70	35	54.0	DN50	70	35
6341357	66.7	66.7	DN65	99	77	66.7	DN65	99	77
6206233	76.1	76.1	DN65	115	50	76.1	DN65	115	50
6206244	88.9	88.9	DN80	131	55	88.9	DN80	131	55
6206255	108	108.0	DN100	151	63	108.0	DN100	151	63



sustainability

item number	carbon footprint (A1-A3) cradle-to-gate	carbon footprint (A-C) embodied carbon	carbon footprint (A-D) cradle-to-cradle	data source
6201437	0.12kgCO ₂ e	0.13kgCO ₂ e	0.08kgCO ₂ e	EPD
6201448	0.16kgCO ₂ e	0.18kgCO ₂ e	0.12kgCO ₂ e	EPD
6201459	0.19kgCO ₂ e	0.21kgCO ₂ e	0.14kgCO ₂ e	EPD
6201461	0.25kgCO ₂ e	0.27kgCO ₂ e	0.18kgCO ₂ e	EPD
6201470	0.33kgCO ₂ e	0.36kgCO ₂ e	0.23kgCO ₂ e	EPD

item number	carbon footprint (A1-A3) cradle-to-gate	carbon footprint (A-C) embodied carbon	carbon footprint (A-D) cradle-to-cradle	data source
6201481	0.47kgCO2e	0.5kgCO2e	0.33kgCO2e	EPD
6201492	0.66kgCO2e	0.7kgCO2e	0.46kgCO2e	EPD
6201503	0.99kgCO2e	1.05kgCO2e	0.69kgCO2e	EPD
6341357	2.03kgCO2e	2.18kgCO2e	1.43kgCO2e	EPD
6206233	2.8kgCO2e	2.99kgCO2e	1.97kgCO2e	EPD
6206244	3.82kgCO2e	4.09kgCO2e	2.69kgCO2e	EPD
6206255	6.61kgCO2e	7.07kgCO2e	4.65kgCO2e	EPD